



Made in Poland, sold worldwide

# CATALOGUE

2023





## Contents

<b>■ ABOUT US.....</b>	<b>5</b>
<b>■ KITCHEN .....</b>	<b>12</b>
<b>    Systems for lower cabinets .....</b>	<b>14</b>
Variant MULTI Line mini side cargo .....	14
Variant MULTI Line mini base cargo .....	18
Maxima Line mini side cargo .....	22
Maxima Line mini base cargo .....	24
<b>    Corner cabinet systems.....</b>	<b>26</b>
Maxima Line Corner Comfort .....	26
Maxima Line Corner Space .....	28
Maxima Line Corner Space Plus .....	30
Maxima Line Corner Optima .....	32
Variant Line, Maxima Line Carousels .....	34
<b>    Storage for tall cabinets .....</b>	<b>36</b>
Maxima Line cargo midi / maxi .....	36
Maxima Line base cargo midi / maxi .....	38
Maxima Line Space base cargo maxi .....	40
Maxima Line Space DUO base cargo maxi.....	42
Cargo maxi Ultra Box .....	44
Cargo maxi Slim Box .....	45
<b>    Systems for overhead cabinets .....</b>	<b>46</b>
Dish drainers.....	46
<b>    Drawer systems.....</b>	<b>48</b>
Dish drainers.....	48
<b>    Complementary components.....</b>	<b>50</b>
Variant MULTI Line / Maxima Line.....	50
Maxima Line / Dish drainers.....	51
<b>    Organizers and accessories .....</b>	<b>52</b>
Wine glass rack .....	52
<b>    Railing system.....</b>	<b>54</b>
Basic components .....	54

<b>Technical information .....</b>	<b>56</b>
Variant MULTI Line side cargo mini .....	56
Variant MULTI Line mini base cargo .....	57
Maxima Line mini side cargo, mini base cargo .....	58
Maxima Line Corner Comfort .....	59
Maxima Line Corner Space .....	60
Maxima Line Corner Space / Corner Space Plus.....	61
Maxima Line Corner Optima .....	62
Variant Line, Maxima Line Carousels.....	63
Maxima Line midi side cargo .....	64
Maxima Line maxi side cargo .....	65
Maxima Line midi / maxi base cargo .....	66
Maxima Line Space maxi base cargo .....	68
Maxima Line Space Duo maxi base cargo .....	69
Cargo maxi Ultra Box .....	70
Cargo maxi Slim Box .....	71
Dish drainers.....	72
Railing system.....	75
<b>■ WASTE SEGREGATION .....</b>	<b>78</b>
Segrego.....	80
JC .....	82
Praktiko.....	84
Aladin, Sesamo, Automat .....	86
Electrical drawer opening systems .....	88
Containers and accessories for individual combinations .....	92
<b>■ DRAWER SYSTEMS AND RUNNERS .....</b>	<b>96</b>
Overview of the icons used in the catalogue .....	98
<b>Drawer systems.....</b>	<b>99</b>
Maxima PURO - internal drawers .....	100
Maxima PURO with automatic extension - internal drawers .....	102
Ultra Box - drawers with front .....	104
Ultra Box - internal drawers.....	106
Slim Box - drawers with front .....	108
Slim Box - internal drawers.....	110
Comfort Box - drawers with front.....	112
Comfort Box - internal drawers .....	114
Metal Box .....	116
Internal organisation .....	120
Internal organisation - Ultra Box / Slim Box.....	132
Internal organisation - Comfort Box .....	134
Accessories.....	136
Maxima PURO - internal drawers - assembly information .....	139
Ultra Box - assembly information .....	140
Slim Box - assembly information .....	141
Comfort Box - assembly information.....	142
Metal Box - assembly information.....	143
<b>Runner systems.....</b>	<b>144</b>
Roller Runner.....	145
Ball bearing runner.....	146
Base mounted runner .....	150
Roller runner Basic - assembly information .....	153
Ball bearing runner H45 without soft-close.....	154
Solid Slide ball-bearing runner H45 with soft close - assembly information .....	155
Ball bearing runner H45 push open - assembly information.....	156
Comfort Slide 3D 30 kg - assembly information .....	157
Comfort Slide Plus 3D soft-close 40 kg - assembly information .....	158
Comfort Slide Plus 3D push open 40 kg - assembly information .....	159

<b>■ THE DRESSING ROOM.....</b>	<b>160</b>
Maxima PURO Line .....	162
Variant MULTI Line .....	170
Simpla.....	173
Hangers .....	174
Accessories .....	177
<b>■ BATHROOM, LAUNDRY, UTILITY ROOM .....</b>	<b>180</b>
<b>Bathroom .....</b>	<b>183</b>
Drawers & baskets.....	184
Flexible siphon housing .....	189
Accessories .....	191
Technical information .....	192
<b>Laundry, utility room .....</b>	<b>195</b>
House Master - organisational system for housekeeping articles .....	196
Mini base cargo .....	198
Hooks, holders, baskets .....	199
<b>■ OFFICE .....</b>	<b>204</b>
Desk Frame.....	206
Extension leads.....	210
Accessories .....	214
Accessories .....	216
<b>■ HINGES AND FLAP FITTINGS.....</b>	<b>218</b>
Overview of the icons used in the catalogue .....	220
<b>Hinges.....</b>	<b>221</b>
Offer Overview .....	221
Expert - general information .....	222
Regular - general information.....	224
Basic - general information.....	225
Expert - Standard Application.....	226
Expert - Angled Application +45° .....	228
Expert - Parellel Application .....	230
Expert - Special Application - wide opening angle 130° - 165° .....	232
Expert - Special Application - wide opening angle, zero offset.....	234
Regular - Standard Application.....	236
Basic - Standard Application.....	238
Basic - Angled Application .....	240
Basic - Parellel Application .....	242
Basic - Special Application - wide opening angle.....	244
<b>Dampening and non-handled opening systems .....</b>	<b>246</b>
Damper / CLICK-ON .....	246
<b>Flap fittings .....</b>	<b>247</b>
Kitchen cabinet flap lifts - general information .....	247
<b>■ HANDLES AND FURNITURE KNOBS, HOOKS, ALUMINIUM FRAMES.....</b>	<b>250</b>
Portfolio overview .....	252
Icons indication .....	254
<b>Furniture handles .....</b>	<b>255</b>
Screwed .....	257
Knobs .....	267
Edges .....	271
Assembly template for handles and furniture knobs .....	276

<b>Furniture hooks and hangers .....</b>	<b>277</b>
<b>Aluminium profiles and frames .....</b>	<b>289</b>
<b>■ LED LIGHTING .....</b>	<b>294</b>
Icons indication .....	296
LED strips.....	297
LED profiles.....	301
Power supplies .....	305
Electrical wires .....	313
Switches .....	315
Accessories .....	320
Rectangular pop-up power socket.....	321
Pull-out round .....	323
Power socket .....	323
<b>■ ADDITIONAL ACCESSORIES .....</b>	<b>326</b>
Furniture legs .....	328
Furniture feet .....	329
Clips, regulators, plugs .....	333
Glides and castors .....	334
Wall cabinet hangers and mounting strips .....	335
Furniture braces and connectors.....	338
Shelf supports and brackets .....	341
Aluminium trims.....	343
Ventilation grills .....	344
Locks.....	345
Bench frames, plinth frames .....	347
Brackets and clamps .....	348
Various accessories .....	350
Information section .....	352



# ABOUT US

---

# INTRODUCING REJS

At REJS, we believe that **organization is the key to success**, and we're dedicated to providing high-quality products that help you stay on top of your game.

Our cutting-edge manufacturing process ensures that every REJS product is built to last, with **durable materials** and expert craftsmanship. From sleek and stylish drawer organizers to versatile storage cabinets and shelves, our products are designed to help you keep your home or workspace clutter-free and running smoothly.

We understand that everyone's storage needs are unique, which is why we offer a wide range of customizable solutions to fit any space or situation. Whether you're looking for a simple way to organize your kitchen, a comprehensive storage system for your office, or something in between, we've got you covered.

At REJS, we're not just about making great products. We're also committed to providing exceptional customer **service and support every step of the way**. From the moment you place your order to the day your REJS product arrives at your doorstep, we're here to ensure that you're completely satisfied with your purchase.

So why wait? Experience the REJS difference today and discover a whole new level of organization and efficiency.




## SHARED VALUES? FOR GENERATIONS!

We are a family-owned company. Our mission is to create high-quality products and solutions that provide user comfort and ergonomics.

The REJS team is largely made up of long-time employees, often in the second generation, with third generation employees appearing.

We have a staff turnover rate of less than 2%, which is absolutely below average market data.





## COMPANY IN NUMBERS



### PRODUCTION

3 production plants



### EMPLOYEES

1000 staff employed  
in the REJS group



### COVERAGE

28 sales branches across  
Poland and abroad



### WHOLESALERS

17 Furniture accessories  
wholesalers, 2 showrooms



### QUALITY GUARANTEE

Certificate  
ISO 9001:2015



### CENTRAL WAREHOUSE

14.000 m<sup>2</sup>



### MADE IN POLAND

Poland's leading manufacturer  
of furniture accessories



### MANY YEARS OF EXPERIENCE

Established  
in 1993

# WELCOME TO THE REJS MACHINERY PARK...

...where **innovation meets precision**. Our state-of-the-art equipment and expert team of engineers and technicians make us a leading provider of high-quality manufacturing services.

With 30 years of experience in the industry, we pride ourselves on our ability to deliver top-notch solutions that meet even the most demanding specifications. From CNC machines to laser cutters, our machinery park is equipped with the latest technology to ensure that every project we undertake is completed with accuracy and efficiency.

At REJS, we're dedicated to providing our clients with unparalleled **service and support**. We work closely with each customer to understand their unique needs and requirements, and we're committed to delivering results that exceed expectations. Our **team of skilled professionals** is always on hand to provide guidance and advice, from design and prototyping to production and assembly.

From small-scale projects to large-scale production runs, we have the capability and expertise to handle any job. Our machinery park is equipped to handle a wide range of materials and processes, including metalworking, plastic molding, and much more.

## REJS AS A MANUFACTURER

REJS Group is a Poland's leading **manufacturer** of furniture accessories and components and a professional **supplier of services** and products for the furniture, logistics and other industries.


More than 1,000 qualified employees in production, sales, transportation, construction and service companies.



## MODERN MACHINERY PARK

We have advanced manufacturing facilities including machines for laser cutting and machining of sheets and profiles, CNC machining, plastic processing of sheets and wires, heat fusion, and welding. The company's own machinery allows it to carry out production at the highest possible level independently. This is possible with the participation of the technology department and the company's own mechanical engineering and maintenance department formed by specialists with many years of experience, who verify the course of production processes and constantly improve them.

## HOW WE WORK?





## RESEARCH AND DEVELOPMENT

Since 2020, we have been implementing major R&D projects financed by EU funds.

- We transfer knowledge from scientific centers and we develop technological processes, optimizing the supply and selection of raw materials and management processes.
- We are conducting research work on the production technology of a modular furniture slide, a wardrobe system based on a magnetic field, and new applications of a furniture board with a heating system, which has been granted a patent by the Polish Patent Office.

## LABORATORY & TESTING LAB

We have a state-of-the-art laboratory where we measure the strength, hardness and chemical composition of the steel we use for production. Thanks to measuring probe and a laser scanner, we can make precise measurements of the products we produce.

We verify the functionality, strength and durability of the product during tests conducted by Quality Control.

We conduct validations based on accepted standards. Depending on the need, we refer to standards commonly available in PCS (PKN) or based on standards received from our customer.

## SERVICES FOR INDUSTRY



POWDER COATING



SHEET METAL LASER PROCESSING



ALUMINIUM PROCESSING



METAL FORMING



WIRE FORMING



TUBE & PROFILE FORMING



CNC GLASS FORMING



GLASS FORMING



WELDING



SANDING & BUFFERING



ELECTROPLATING




PAINTING HOOKS



SPOT WELDING

# AROUND THE WORLD



Contact us today to learn more about our services and capabilities, and experience the difference that precision and innovation can make.

## Germany

**Rejs Ausstellungsraum**  
79540 Lörrach, Kreuzstraße 2  
tel. +49 (0) 7621/ 9537920  
e-mail: [rejs.de@rejs.eu](mailto:rejs.de@rejs.eu)

## Great Britain

**REJS UK INT LTD.**  
Unit 28, Slough Business Park  
94 Farnham Road, Slough SL1 3FQ  
tel. 078 8724 1688  
e-mail: [office@rejsltd.co.uk](mailto:office@rejsltd.co.uk)  
[www.rejsltd.co.uk](http://www.rejsltd.co.uk)

## FIND US HERE



REJSakcesoria



REJS Group



RejsRypin



rejs\_en



rejs\_ukraine



rejs\_ru





# KITCHEN





## *One kitchen, multiple possibilities*

The kitchen is the place where the heart of every home beats. Leisurely breakfasts, family lunches, romantic dinners. A meeting place for all household members. In order to fully enjoy its comfort, it is worth thinking about the appropriate - both ergonomic and functional use of space at the beginning of the design process.


The Variant MULTI line offers a multitude of solutions designed for under-counter cabinets and even more configuration options. The users themselves choose the variant of wire baskets and the type of sliding system that will guarantee smooth and comfortable movement during thousands of opening and closing cycles.

The **Maxima** line is systems designed for the demanding user. It includes 4 styles of baskets: PURO, Silva, Evo and Classic. Baskets from the **Classic** systems are made of wire. Those in the **Silva** and **Evo** lines have solid bottoms - made of laminated furniture board or plastic, respectively. And **PURO** accessories are made of high-quality steel and are available in 2 colours: black with wood décor or white with glass.

There are 4 noteworthy novelties. **Corner Space** and **Corner Space Plus** are systems for corner cabinets that provide even more comfortable use of these capacious, but generally hard-to-reach furniture. **Maxi Space** and **Maxi Space Duo**, on the other hand, are solutions for tall cabinets. These spacious cargoes offer a high load capacity of up to 70 or even 75 kg. Maxi Space Duo can be installed like a side-by-side opening system (two products are required) as it includes baskets suspended from the fronts in addition to the basic racks hidden in the body. With two styles of baskets to choose from and the universal design of these systems, they are easy to incorporate into built-in cabinets. It is the perfect solution for organizing a handy but very packable pantry.



### Product characteristics:



- maximum load capacity: **10 kg**
- optional dividers for internal organisation can be installed, preventing the contents from moving around
- quick **tool-free** basket installation - patented Click system
- compatible with popular runner brands with various functions



## Basic Components

### 1 Side basket 150 - 250

**NEW COLOR**



width	index	colour
150	WE03.7319.01	001, 003, 062, 549, 924
200*	WE03.7419.01	001, 003, 062, 549, 924
250**	WE29.0124.01	001, 062, 549, 924

### 2 Side extension system

extension system / runner	fixing side	index	colour
REJS FULL	L	WE29.0012.01	549, 924
REJS FULL	R	WE29.0013.01	549, 924

full extension, soft close L-450

extension system / runner	fixing side	index	colour
REJS PUSH	L	WE29.0015.01	549, 924
REJS PUSH	R	WE29.0016.01	549, 924

full extension, push-open L-450

extension system / runner	fixing side	index	colour
HETTICH QUADRO V6	L	WE29.0021.01	549, 924
HETTICH QUADRO V6	R	WE29.0022.01	549, 924

full extension, soft close L-450



cover plate	fixing side	index	colour
BLUM TANDEM PLUS	L	WE29.0024.01	549, 924
BLUM TANDEM PLUS	R	WE29.0025.01	549, 924

runner not included  
compatible only with runner  
560H4500B


cover plate	fixing side	index	colour
BLUM TANDEM PLUS	L	WE29.0152.01	549, 924
BLUM TANDEM PLUS	R	WE29.0153.01	549, 924

runner not included  
compatible only with runner  
560F4500B



## Additional information

Cargo extension diagram:



Complementary components on pg. 50  
Installation instructions on pg. 56

Legend:

\* compatible with all running systems except the Tandem Plus 560F4500B  
\*\* compatible with all extension systems with the exception of REJS PUSH

  indicates which side of the cabinet corpus the basket is fixed to



### Product characteristics:



- maximum load capacity: **10 kg**

- the contoured frame allows for hanging towels or cloths

- optional **dividers for internal organisation** can be installed, preventing the contents from moving around

- quick **tool-free** basket installation - patented Click system

- compatible with popular **runner brands with various functions**



## Basic Components

### 1 Side basket for towels 150



width	index	colour
150	WE29.0001.01	001, 062

### 2 Side extension system

extension system / runner	fixing side	index	colour
REJS FULL	L	WE29.0012.01	549, 924
REJS FULL	R	WE29.0013.01	549, 924

full extension, soft close L-450




extension system / runner	fixing side	index	colour
HETTICH QUADRO V6	L	WE29.0021.01	549, 924
HETTICH QUADRO V6	R	WE29.0022.01	549, 924

full extension, soft close L-450



## Additional information

Cargo extension diagram:




Complementary components on pg. 50  
Installation instructions on pg. 56

Legend:

indicates which side of the cabinet corpus the basket is fixed to



### Product characteristics:



- maximum load capacity: **20 kg**

- optional dividers for internal organisation can be installed, preventing the contents from moving around

- quick **tool-free** basket installation - patented Click system

- compatible with popular runner brands with various functions



## Basic Components

### 1 Base basket 150 - 600



width	index	colour
150*	WE29.0003.01	001, 003, 062, 549, 924
200*	WE29.0004.01	001, 003, 062, 549, 924
250*	WE29.0125.01	001, 062, 549, 924
300	WE29.0005.01	001, 003, 062, 549, 924
400	WE29.0006.01	001, 003, 062, 549, 924
500	WE29.0007.01	001, 003, 062, 549, 924
600	WE29.0008.01	001, 003, 062, 549, 924

### 2 Base extension system

extension system / runner	index	colour
REJS FULL	WE29.0014.01	549, 924

full extension, soft close L-450



extension system / runner	index	colour
REJS FULL	WE29.0128.01	549, 924

for cabinets with hinged doors,  
full extension, soft close L-450



extension system / runner	index	colour
REJS PUSH	WE29.0017.01	549, 924


full extension, push-open L-450



extension system / runner	index	colour	extension system / runner	index	colour
HETTICH QUADRO V6	WE29.0023.01	549, 924	HETTICH QUADRO V6	WE29.0023.01	549, 924
BLUM TANDEM PLUS	WE29.0026.01	549, 924	runner not included compatible only with runner 560H4500B		
BLUM TANDEM PLUS	WE29.0154.01	549, 924	runner not included compatible only with runner 560F4500B		

## Additional information

Cargo extension diagram:



Complementary components on pg. 50  
Installation instructions on pg. 57

Legend:

\* compatible only with REJS FULL extension system



### *Product characteristics:*



- maximum load capacity: **20 kg**

- quick **tool-free** basket installation - patented Click system

- compatible with popular runner brands with various functions



## Basic Components

### 1 Single base basket 300 - 600



width	index	colour
300	WE29.0009.01	001, 003, 062, 549, 924
400	WE29.0010.01	001, 003, 062, 549, 924
500	WE29.0011.01	001, 003, 062, 549, 924
600	WE29.0151.01	001, 003, 062, 549, 924

### 2 Base extension system

extension system / runner	index	colour
REJS FULL	WE29.0014.01	549, 924

full extension, soft close L-450



extension system / runner	index	colour
REJS FULL	WE29.0128.01	549, 924

for cabinets with hinged doors,  
full extension, soft close L-450



extension system / runner	index	colour
HETTICH QUADRO V6	WE29.0023.01	549, 924

full extension, soft close L-450



cover plate	index	colour
BLUM TANDEM PLUS	WE29.0026.01	549, 924

runner not included  
compatible only with runner 560H4500B



cover plate	index	colour
BLUM TANDEM PLUS	WE29.0154.01	549, 924


runner not included  
compatible only with runner 560F4500B



## Additional information


Cargo extension diagram:

Installation instructions on pg. 57





### Product characteristics:



## Basic Components

### Frame + basket + runner system 150 - 200

#### Maxima PURO Line



width	fixing side	index	colour
150	L	WE35.0012.12	C74
150	R	WE35.0013.12	C74
200	L	WE35.0014.12	C74
200	R	WE35.0015.12	C74

#### Maxima PURO Line



width	fixing side	index	colour
150	L	WE35.0012.06	C75
150	R	WE35.0013.06	C75
200	L	WE35.0014.06	C75
200	R	WE35.0015.06	C75

#### Maxima SILVA Line



width	fixing side	index	colour
150	L	WE32.0042.43	781*
150	R	WE32.0043.43	781*
200	L	WE32.0044.43	781*
200	R	WE32.0045.43	781*


#### Maxima EVO Line



width	fixing side	index	colour
150	L	WE30.0027.08	374
150	R	WE30.0028.08	374
200	L	WE30.0029.08	374
200	R	WE30.0030.08	374

## Additional information

Cargo extension diagram:




Complementary components on pg. 50  
Installation instructions on pg. 58  
Legend:

\* products available on order only

indicates which side of the cabinet corpus the basket is fixed to



### Product characteristics:



- four types of basket to choose from
- maximum load capacity: **25 kg**
- the **top and bottom mounted frame** provides a firmer structure
- the **adjustable height** of the frame allows for maximum exploitation of the cabinet height
- each shelf of the Maxima PURO Line has an **anti-slip mat**
- baskets can be installed at various heights providing more storage flexibility
- optional **dividers for internal organisation** can be installed, preventing the contents from moving around (with the exception of the PURO Line)
- compatible with electrical cabinet door opening system Servo Drive by **blum**
- additional back guards can be installed to divide shelves (EVO and SILVA) and enable various height configurations (SILVA)
- soft-close **REJS** runner



## Basic Components

### Frame + basket + runner system 300 - 400

#### Maxima PURO Line



width	index	colour
300	WE35.0016.12	C74
400	WE35.0017.12	C74

#### Maxima PURO Line



width	index	colour
300	WE35.0016.06	C75
400	WE35.0017.06	C75

#### Maxima SILVA Line



width	index	colour
300	WE32.0046.43	781*
400	WE32.0047.43	781*


#### Maxima EVO Line



width	index	colour
300	WE30.0031.08	374
400	WE30.0032.08	374

## Additional information

Cargo extension diagram:




Complementary components on pg. 50  
Installation instructions on pg. 58

Legend:

\* products available on order only



### Product characteristics:



## Basic Components

### Frame + basket + runner system 800 - 1200

#### Maxima PURO Line



width	fixing side	index	colour
800	L	WE35.0033.12	C74
800	R	WE35.0034.12	C74
1000	L	WE35.0035.12	C74
1000	R	WE35.0036.12	C74
1200	L	WE35.0037.12	C74
1200	R	WE35.0038.12	C74

#### Maxima PURO Line



width	fixing side	index	colour
800	L	WE35.0033.06	C75
800	R	WE35.0034.06	C75
1000	L	WE35.0035.06	C75
1000	R	WE35.0036.06	C75
1200	L	WE35.0037.06	C75
1200	R	WE35.0038.06	C75

#### Maxima SILVA Line



width	fixing side	index	colour
800	L	WE32.0001.43	781*
800	R	WE32.0002.43	781*
1000	L	WE32.0003.43	781*
1000	R	WE32.0004.43	781*
1200	L	WE32.0005.43	781*
1200	R	WE32.0006.43	781*

#### Maxima EVO Line



width	fixing side	index	colour
800	L	WE30.0001.08	374
800	R	WE30.0002.08	374
1000	L	WE30.0003.08	374
1000	R	WE30.0004.08	374
1200	L	WE30.0005.08	374
1200	R	WE30.0006.08	374


#### Maxima Classic Line



width	fixing side	index	colour
800	L	WE31.0001.01	001, 924
800	R	WE31.0002.01	001, 924
1000	L	WE31.0003.01	001, 924
1000	R	WE31.0004.01	001, 924
1200	L	WE31.0005.01	001, 924
1200	R	WE31.0006.01	001, 924

## Additional information

### Corner extension diagram



Complementary components on pg. 50  
Installation instructions on pg. 59


### Legend:

\* products available on order only

**L** **R** indicates which side of the cabinet corpus the basket is fixed to



### Product characteristics:





## Basic Components

### Frame + basket + runner system

MaximaPURO Line



NEW

MaximaPURO Line



NEW

Maxima Classic Line



NEW

width	front	index	colour
900 - 1000	400 - 550*	WE35.0065.12	C74
1100 - 1200	600	WE35.0066.12	C74

width	front	index	colour
900 - 1000	400 - 550*	WE35.0065.06	C75
1100 - 1200	600	WE35.0066.06	C75

width	front	index	colour
900 - 1000	400 - 550*	WE31.0084.01	001, 924
1100 - 1200	600	WE31.0085.01	001, 924

### Front mounting


index	colour
WE24.0021.01	003, 055, 549, 924

possible to use in cabinet with front 400 - 500 mm



## Additional information

### Corner extension diagram




Installation instructions on pg. 60-61

Legend:

\* version for hinges is available for the front width 450-550  
version for front fixing is available for the front width 400-500



### Product characteristics:



## Basic Components

### Frame + basket + runner system

MaximaPURO Line



MaximaPURO Line




width	front	index	colour
1100 - 1200	600	WE35.0067.12	C74

width	front	index	colour
1100 - 1200	600	WE35.0067.06	C75

## Additional information

### Corner extension diagram




Installation instructions on pg. 61

COATING CODE: C74 BLACK MATTE/OAK C75 WHITE MATTE/TRANSPARENT



### Product characteristics:

- 
- shelves are made from **plyboard**, a choice of two colours (white and graphite)
  - maximum load capacity per shelf: **15 kg**
  - thanks to the irregular oval shape more round shaped items can be stored small or large
  - each shelf extends separately
  - mounted to the side of the cabinet
  - mounted to corner cabinets with doors on standard and parallel hinges
  - can be used in both low and high corner cabinets
  - equipped with **soft close** ensuring quiet closing and smooth operation of the system

## Basic Components

**Frame + basket + runner system 800 - 1000**


**Maxima SILVA Line**



width	fixing side	index	colour
800	L	WE28.2507.43	374, 781
800	R	WE28.2508.43	374, 781
900	L	WE28.2607.43	374, 781
900	R	WE28.2608.43	374, 781
1000	L	WE28.3507.43	374, 781
1000	R	WE28.3508.43	374, 781

## Additional information

Corner extension diagram




Installation instructions on pg. 62

Legend:


**L** **R** indicates which side of the cabinet corpus the basket is fixed to



### Product characteristics:



## Variant Line, Maxima Line Carousels



Kitchen

### Basic Components

#### Carousel 510 - 820

##### Maxima SILVA Line

Carousel 1/2



Carousel 3/4



type	index	colour
750	WE08.5503.43	374*, 781*
820	WE08.5504.43	374*, 781*

type	index	colour
750	WE08.5508.43	374*, 781*
820	WE08.5505.43	374*, 781*

##### Variant Line

Carousel NOVA 1/2



Carousel NOVA 3/4



Carousel NOVA D



type	index	colour
600	WE08.0101.01	001, 003, 549, 924
690	WE08.0102.01	001, 003, 549, 924
750	WE08.0103.01	001, 003, 549, 924
820	WE08.0104.01	001, 003, 549, 924


type	index	colour
600	WE08.0106.01	001, 003, 062, 549, 924
690	WE08.0107.01	001, 003, 062, 549, 924
750	WE08.0108.01	001, 003, 062, 549, 924
820	WE08.0105.01	001, 003, 062, 549, 924

type	index	colour
510	WE08.0110.01	549, 924
750	WE08.0114.01	549, 924

### Additional information

Carousel rotation diagram:

1/2	3/4	D
-----	-----	---




Installation instructions on pg. 63

Legend:

\* products available on order only



### Product characteristics:



- five types of baskets to choose from
- maximum load capacity: **20 kg**
- additional shelves can be installed in order to increase the storage capacity
- each shelf of the Maxima PURO Line has an **anti-slip mat**
- baskets **can be installed at various heights** providing more storage flexibility
- optional **dividers for internal organisation** can be installed, preventing the contents from moving around (with the exception of the PURO Line)
- compatible with electrical cabinet door opening system Servo Drive by **blum**
- soft-close **REJS** runner

## Basic Components

### Frame + basket + runner system 150 - 200



Maxima PURO Line



Maxima PURO Line



Maxima SILVA Line



Maxima EVO Line



Maxima Classic Line

NEW COLOR

Kitchen

### Maxima PURO Line

basket type	fixing side	width	number of shelves	index	colour
Side MAXI	L	150	5	WE35.0022.12	C74
Side MAXI	L	150	5	WE35.0022.06	C75
Side MAXI	R	150	5	WE35.0023.12	C74
Side MAXI	R	150	5	WE35.0023.06	C75
Side MAXI	L	200	5	WE35.0024.12	C74
Side MAXI	L	200	5	WE35.0024.06	C75
Side MAXI	R	200	5	WE35.0025.12	C74
Side MAXI	R	200	5	WE35.0025.06	C75

### Maxima SILVA Line

basket type	fixing side	width	number of shelves	index	colour
Side MIDI	L	150	4	WE32.0050.43	781*
Side MIDI	R	150	4	WE32.0051.43	781*
Side MIDI	L	200	4	WE32.0052.43	781*
Side MIDI	R	200	4	WE32.0053.43	781*

basket type	fixing side	width	number of shelves	index	colour
Side MAXI	L	150	5	WE32.0009.43	781*
Side MAXI	R	150	5	WE32.0010.43	781*
Side MAXI	L	200	5	WE32.0011.43	781*
Side MAXI	R	200	5	WE32.0012.43	781*

### Maxima EVO Line

basket type	fixing side	width	number of shelves	index	colour
Side MIDI	L	150	4	WE30.0038.08	374
Side MIDI	R	150	4	WE30.0039.08	374
Side MIDI	L	200	4	WE30.0040.08	374
Side MIDI	R	200	4	WE30.0041.08	374

basket type	fixing side	width	number of shelves	index	colour
Side MAXI	L	150	5	WE27.5337.08	374
Side MAXI	R	150	5	WE27.5338.08	374
Side MAXI	L	200	5	WE27.5339.08	374
Side MAXI	R	200	5	WE27.5340.08	374

### Maxima Classic Line


basket type	fixing side	width	number of shelves	index	colour
Side MIDI	L	150	4	WE31.0058.01	001, 924
Side MIDI	R	150	4	WE31.0059.01	001, 924
Side MIDI	L	200	4	WE31.0060.01	001, 924
Side MIDI	R	200	4	WE31.0061.01	001, 924

basket type	fixing side	width	number of shelves	index	colour
Side MAXI	L	150	5	WE31.0054.01	001, 924
Side MAXI	R	150	5	WE31.0055.01	001, 924
Side MAXI	L	200	5	WE31.0056.01	001, 924
Side MAXI	R	200	5	WE31.0057.01	001, 924

## Additional information

Cargo extension diagram:



Complementary components on pg. 50  
Installation instructions on pg. 64-65


Legend:

\* products available on order only

**L** **R** indicates which side of the cabinet corpus the basket is fixed to



## Product characteristics:



- five types of baskets to choose from  
maximum load capacity: depends upon the chosen runner
- (REJS - 100 kg, FULTERER 120 kg, FULTERER rotating runner 100 kg)
- additional shelves can be installed in order to increase the storage capacity
- each shelf of the Maxima PURO Line has an **anti-slip mat**
- optional **dividers for internal organisation** can be installed, preventing the contents from moving around (with the exception of the PURO Line)
- additional back guards can be installed to divide shelves (EVO i SILVA) and enable various height configurations (SILVA)
- **frame height regulation** allows for optimal exploitation of the height of the cabinet
- baskets **can be installed at various heights** providing more storage flexibility
- compatible with electrical cabinet door opening system Servo Drive by **blum**
- compatible with well-known soft-close runners:  
**REJS Fulterer**



## Basic Components

### 1 Frame + basket 300 - 600 + set for divided fronts\*



Maxima PURO Line



Maxima PURO Line



Maxima SILVA Line



Maxima EVO Line



Maxima Classic Line

NEW COLOR

### Maxima PURO Line

basket type	height with sys. Rejs, Fulterer	width	number of shelves	index	colour
MAXI	1700-1900	300	5	WE35.0028.12	C74
MAXI	1700-1900	300	5	WE35.0028.06	C75
MAXI	1700-1900	400	5	WE35.0029.12	C74
MAXI	1700-1900	400	5	WE35.0029.06	C75
MAXI	1900-2100	300	6	WE35.0030.12	C74
MAXI	1900-2100	300	6	WE35.0030.06	C75
MAXI	1900-2100	400	6	WE35.0031.12	C74
MAXI	1900-2100	400	6	WE35.0031.06	C75

### Maxima SILVA Line

basket type	height with sys. Rejs, Fulterer	width	number of shelves	index	colour
MIDI	1200-1400	300	4	WE32.0027.43	781**
MIDI	1200-1400	400	4	WE32.0028.43	781**
MAXI	1700-1900	300	5	WE32.0031.43	781**
MAXI	1700-1900	400	5	WE32.0032.43	781**
MAXI	1900-2100	300	6	WE32.0035.43	781**
MAXI	1900-2100	400	6	WE32.0036.43	781**

### Maxima EVO Line

basket type	height with sys. Rejs, Fulterer	width	number of shelves	index	colour
MIDI	1200-1400	300	4	WE27.5701.08	374
MIDI	1200-1400	400	4	WE27.5702.08	374
MAXI	1700-1900	300	5	WE27.5801.08	374
MAXI	1700-1900	400	5	WE27.5802.08	374
MAXI	1900-2100	300	6	WE27.5805.08	374
MAXI	1900-2100	400	6	WE27.5806.08	374

### Maxima Classic Line

basket type	height with sys. Rejs, Fulterer	width	number of shelves	index	colour
MIDI	1200-1400	300	4	WE31.0009.01	001, 549, 924
MIDI	1200-1400	400	4	WE31.0010.01	001, 549, 924
MAXI	1700-1900	300	5	WE31.0017.01	001, 549, 924
MAXI	1700-1900	400	5	WE31.0018.01	001, 549, 924
MAXI	1900-2100	300	6	WE31.0021.01	001, 549, 924
MAXI	1900-2100	400	6	WE31.0022.01	001, 549, 924

### 2 Extension system

type / max. load	index	colour
REJS / 100	WE28.2803.01	549, 924

type / max. load	index	colour
FULTERER / 120	WE28.2801.01	549, 924
FULTERER / 120	WE35.0032.01	A18, 331

type / max. load	index	colour
FULTERER / 100	WE28.2802.01	549, 924

REJS

ball-bearing runner  
with soft close,  
load bearing: 100 kg



Fulterer®  
differential runner  
with soft-close,  
load bearing 120 kg



Fulterer®

differential rotating runner  
with soft-close,  
load bearing: 100 kg




### Additional information

Cargo extension diagram:

REJS 100 kg  
FULTERER 120 kg



FULTERER  
rotating runner 100 kg



Complementary components on pg. 50  
Installation instructions on pg. 66

#### Legend:

\* set for divided fronts is not included with cargo MIDI


\*\* products available on order only

#### How to order?

1. Choose the frame and baskets.
2. Select the extension system.
3. Complete with complementary products.



### Product characteristics:



- two types of basket to choose from
- possible loading capacity of the wholesystem: **70 kg (14 kg per basket)**
- universal construction (model left-right)
- each shelf of the Maxima PURO Line has an **anti-slip mat**
- possible to equip with **dividers to organize the internal space and to prevent moving products** (only in the CLASSIC collection)
- opening the front on the hinge makes that the base **pull out automatically**
- each shelf of the Maxima PURO Line has an **anti-slip mat**
- **roller runner with partial extension**

## Basic Components


### 1 Frame + basket 450 / 600 + set for divided fronts



Maxima PURO Line



Maxima PURO Line



Maxima Classic Line

Maxima PURO Line					
basket type	height with sys.	width	number of shelves	index	colour
MAXI	1700	450	5	WE35.0061.12	C74
MAXI	1700	450	5	WE35.0061.06	C75
MAXI	1700	600	5	WE35.0062.12	C74
MAXI	1700	600	5	WE35.0062.06	C75

Maxima Classic Line					
basket type	height with sys.	width	number of shelves	index	colour
MAXI	1700	450	5	WE31.0080.01	001, 924
MAXI	1700	600	5	WE31.0081.01	001, 924

### Hinges Soft Close

Hinges for doors with a 110° opening angle.  
More information in the *Hinges and lifts* section.




type

index

with mounting plate H=0 with excentric screw regulation TJ09.0015.01.064

## Additional information

Cargo extension diagram:




Complementary components on pg. 50  
Installation instructions on pg. 68

COATING CODE: C74 BLACK MATTE/OAK C75 WHITE MATTE/TRANSPARENT 001 CHROME 924 GRAPHITE



### Product characteristics:



- four types of basket to choose from
- possible loading capacity of the whole system:  
**75 kg (10 kg per internal basket, 5 kg per basket hung on the front)**
- universal construction (model left-right)
- possible to equip with dividers to organize the internal space and to prevent moving products (only in the CLASSIC collection)
- directly access to products after opening the front
- each shelf of the Maxima PURO Line has an **anti-slip mat**
- opening the front on the hinge makes that the **base pull out automatically**
- **roller runner** with partial extension

## Basic Components

### 1 Frame + basket 450 / 600 + set for divided fronts



Maxima PURO Line

Maxima PURO Line

Maxima Classic Line

### Maxima PURO Line

basket type	height with sys.	width	number of shelves	index	colour
MAXI	1700	450	5	WE35.0063.12	C74
MAXI	1700	450	5	WE35.0063.06	C75
MAXI	1700	600	5	WE35.0064.12	C74
MAXI	1700	600	5	WE35.0064.06	C75

### Maxima Classic Line

basket type	height with sys.	width	number of shelves	index	colour
MAXI	1700	450	5	WE31.0082.01	001, 924
MAXI	1700	600	5	WE31.0083.01	001, 924

### Hinges Soft Close

Hinges for doors with a 110° opening angle.  
More information in the *Hinges and lifts* section.



type


index

with mounting plate H=0 with excentric screw regulation

TJ09.0015.01.064

## Additional information

Cargo extension diagram:



Complementary components on pg. 50  
Installation instructions on pg. 69

COATING CODE: C74 BLACK MATTE/OAK C75 WHITE MATTE/TRANSPARENT 001 CHROME 924 GRAPHITE



### Basic components - recommended configuration

- any configuration, consisting of internal Ultra Box drawers
- maximum load capacity per drawer **40 kg**
- easy access to contents
- available drawer heights: H=86, H=118, H=167, H=199
- slim sides **13 mm**
- straight sides internally and externally
- full extension runner with soft-close**
- drawers available in **graphite and white**
- tool-free front installation
- runners with depths of **300 - 550 mm**
- internal organizers** can be added keeping it's contents in order

#### 1 Ultra Box H=86

information regarding ordering in the *Drawer and runner* section.



#### 2 Ultra Box H=118

information regarding ordering in the *Drawer and runner* section.



#### 3 Ultra Box H=167

information regarding ordering in the *Drawer and runner* section.



#### 4 Ultra Box H=199

information regarding ordering in the *Drawer and runner* section.




#### 5 Hinges Soft Close

Hinges for doors with a wide opening angle 155°  
More information in the *Hinges and lifts* section.



type	index
with mounting plate H=0 with eccentric screw regulation	TJ01.7111.01.064
with mounting plate H=2 with eccentric screw regulation	TJ01.7119.01.064



Complementary components in the *Drawer and runners* section.  
Installation instructions on pg. 70


COATING CODE: 064 NICKEL

### Basic components - recommended configuration



- any configuration, consisting of internal **Slim Box** drawers
- maximum load capacity per drawer **40 kg**
- easy access to contents
- available drawer heights: **H=89, H=121, H=185**
- slim sides **13,4 mm**
- straight sides** internally and externally
- full extension runner with soft-close**
- drawers available in **black, graphite and white**
- a choice of **metal or glass front**
- tool-free front installation
- runners with depths of **300 - 550 mm**
- internal organizers** can be added keeping it's contents in order

<b>1</b>	<b>Slim Box H=89</b>						
	information regarding ordering in the <i>Drawer and runner</i> section.						
<b>2</b>	<b>Slim Box H=121</b>						
	information regarding ordering in the <i>Drawer and runner</i> section.						
<b>3</b>	<b>Slim Box H=185</b>						
	information regarding ordering in the <i>Drawer and runner</i> section.						
<b>4</b>	<b>Hinges Soft Close</b>						
	Hinges for doors with a wide opening angle 155° More information in the <i>Hinges and lifts</i> section.						
	<table border="1"> <thead> <tr> <th>type</th> <th>index</th> </tr> </thead> <tbody> <tr> <td>with mounting plate H=0 with eccentric screw regulation</td> <td>TJ01.7111.01.064</td> </tr> <tr> <td>with mounting plate H=2 with eccentric screw regulation</td> <td>TJ01.7119.01.064</td> </tr> </tbody> </table>	type	index	with mounting plate H=0 with eccentric screw regulation	TJ01.7111.01.064	with mounting plate H=2 with eccentric screw regulation	TJ01.7119.01.064
type	index						
with mounting plate H=0 with eccentric screw regulation	TJ01.7111.01.064						
with mounting plate H=2 with eccentric screw regulation	TJ01.7119.01.064						



Complementary components in the *Drawer and runners* section.  
Installation instructions on pg. 71

COATING CODE: 064 NICKEL



**Prima dish drainer**

min. width cabinet corpus	index	colour
500	TE06.2101.03	012
600	TE06.2102.03	012
700	TE06.2119.03	012
800	TE06.2103.03	012
900	TE06.2104.03	012
1000	TE06.2137.03	012

- suitable for cabinet walls of 16/18 mm • width adjustment approximately 30 mm
- made from stainless steel • 72H\*



COATING CODE: 012 INOX (STAINLESS STEEL)


# Systems for overhead cabinets

## Dish drainers

### Standard 1 dish drainer (15 pcs.)

min. width cabinet corpus	index	colour
400	WE06.4923.01	010
450	WE06.4924.01	010
500	WE06.4925.01	010
600	WE06.4926.01	010
700	WE06.4951.01	010
800	WE06.4927.01	010
900	WE06.4928.01	010

\* suitable for cabinet walls of 16/18 mm • 72H\*



### Standard 3 dish drainer

min. width cabinet corpus	index	colour
400	WE06.5023.01	001, 062
450	WE06.5024.01	001, 062
500	WE06.5025.01	001, 062
600	WE06.5026.01	001, 062
700	WE06.5051.01	001, 062
800	WE06.5027.01	001, 062
900	WE06.5028.01	001, 062

\* suitable for cabinet walls of 16/18 mm • 72H\*



### Variant 1 dish drainer

min. width cabinet corpus	index	colour
400	WE06.5123.01	010
450	WE06.5124.01	010
500	WE06.5125.01	010
600	WE06.5126.01	010
700	WE06.5151.01	010
800	WE06.5127.01	010
900	WE06.5128.01	010

\* suitable for cabinet walls of 16/18 mm • lower frame depth adjustment and the lower frame is compatible with HDF cabinet backs • 72H\*



### Variant 3 dish drainer

min. width cabinet corpus	index	colour
400	WE06.5223.01	001, 061, 062
450	WE06.5224.01	001, 061, 062
500	WE06.5225.01	001, 061, 062
600	WE06.5226.01	001, 061, 062
700	WE06.5251.01	001, 061, 062
800	WE06.5227.01	001, 061, 062
900	WE06.5228.01	001, 061, 062

\* suitable for cabinet walls of 16/18 mm • lower frame depth adjustment and the lower frame is compatible with HDF cabinet backs • 72H\*



### Single shelf dish drainer


min. width cabinet corpus	index	colour
400	WE06.5323.01	001, 061, 062
450	WE06.5324.01	001, 061, 062
500	WE06.5325.01	001, 061, 062
600	WE06.5326.01	001, 061, 062
700	WE06.5351.01	001, 061, 062
800	WE06.5327.01	001, 061, 062
900	WE06.5328.01	001, 061, 062

\* suitable for cabinet walls of 16/18 mm • lower frame depth adjustment • 72H\*



### 1 Back profile\*\*

min. width cabinet corpus	index	colour
400	TG05.3645.07	035
450	TG05.3646.07	035
500	TG05.3647.07	035
600	TG05.3648.07	035
700	TG05.3649.07	035
800	TG05.3650.07	035
900	TG05.3651.07	035



### 2 Profile brackets (left+right)

index	colour
TE06.2943.05	049


Complementary components on pg. 51  
Installation instructions on pg. 72-73

\* tests have been conducted in a salt chamber (test 72hr) no signs of corrosion were identified  
\*\* the product is dedicated for dish drainers Variant 1, Variant 3, single shelf dish drainers in 001 and 062 colours

COATING CODE: 001 CHROME 010 FLUID WHITE 035 ALUMINIUM C-0 049 SILVER 061 BLACK MATTE 062 ZINC WHITE



## Basic Components




### 1 Plate rack basket for drawers with front 600-900



width	index	colour
600	WE29.0631.01	001
700	WE29.0632.01	001
800	WE29.0633.01	001
900	WE29.0634.01	001



1 + 2

### 2 Extension system L-450



extension system	index	colour
REJS FULL	WE29.0635.01	549



extension system	index	colour
HETTICH QUADRO V6	WE29.0023.01	549



cover plate	index	colour
HETTICH QUADRO V6	WE29.0636.01	549

### Variant MULTI Line complementary products

#### Complete divider



rod Ø5 + set of connectors

width	index	colour
150	WE03.8661.08	052
200	WE03.8662.08	052

#### Divider set cut-to measure



cut to width KB - 90 mm  
length - 400 mm

components	index	colour
rod Ø5 L=1100	WE03.7177.01	001
connectors Ø5	2 x WE03.7178.05	061

### Maxima Line complementary products

#### Drawers for Corner Comfort 800 - 1200

##### Maxima PURO Line



width	index	colour
800	WE35.0045.12	C74*
800	WE35.0045.06	C75*
1000	WE35.0046.12	C74*
1000	WE35.0046.06	C75*
1200	WE35.0047.12	C74*
1200	WE35.0047.06	C75*

##### Maxima Classic Line



width	index	colour
800	WE31.0027.01	001*, 924*
1000	WE31.0028.01	001*, 924*
1200	WE31.0029.01	001*, 924*

##### Maxima EVO Line



width	index	colour
800	WE30.0044.08	374*
1000	WE30.0045.08	374*
1200	WE30.0037.08	374*

##### Maxima SILVA Line



width	index	colour
800	WE32.0039.43	781*
1000	WE32.0040.43	781*
1200	WE32.0041.43	781*

#### Drawers for side cargo mini / midi / maxi 150 - 200

##### Maxima PURO Line



width	index	colour
150	WE35.0041.12	C74*
150	WE35.0041.06	C75*
200	WE35.0042.12	C74*
200	WE35.0042.06	C75*

##### Maxima Classic Line



width	index	colour
150	WE31.0062.01	001*, 924*
200	WE31.0063.01	001*, 924*

##### Maxima EVO Line



width	index	colour
150	WE27.5500.01	374*
200	WE27.5600.01	374*

##### Maxima SILVA Line



width	index	colour
150	WE32.0017.01	781*
200	WE32.0018.01	781*

#### Drawers for base cargo mini / midi / maxi 300 - 600

##### Maxima PURO Line



width	index	colour
300	WE35.0043.12	C74*
300	WE35.0043.06	C75*
400	WE35.0044.12	C74*
400	WE35.0044.06	C75*

##### Maxima Classic Line



width	index	colour
300	WE31.0013.01	001*, 549*, 924*
400	WE31.0014.01	001*, 549*, 924*

##### Maxima EVO Line



width	index	colour
300	WE30.0013.08	374*
400	WE30.0014.08	374*

##### Maxima SILVA Line



width	index	colour
300	WE32.0023.01	781*
400	WE32.0024.01	781*

\* products available on order only

COATING CODE: C74 BLACK MATTE/OAK C75 WHITE MATTE/TRANSPARENT 001 CHROME 052 CHROME / BLACK 061 BLACK 374 CHROME / WHITE 549 SILVER DS 781 CHROME / GRAPHITE 924 GRAPHITE

### Complementary components Maxima Line

#### Divider set cut-to measure

- side, base cargo mini
- side, base side cargo midi / maxi



cut-to-measure

components	index	colour
rod Ø6 L=1100	WE03.2886.01	001
connectors Ø6	2x WE03.2887.05	061

#### Back guards for baskets

- base cargo mini
- cargo midi / maxi




#### Bracket

- cargo midi / maxi



#### Connector for divided fronts

- cargo midi / maxi



dimensions	index	colour
176 x 20 x 3	WE28.3304.01	098, 549, 689, 924

#### Electrical opening activator

- side cargo mini / maxi
- base cargo midi / maxi



- base cargo mini



index	colour
WE28.3002.01	549, 924

index	colour
WE28.3101.01	549, 924

### Complementary products for dish drainers

#### Tray




width	index	colour
400	TE06.0107.05	013, 081
450	TE06.0105.05	013, 081
500	TE06.0101.05	013, 081
600	TE06.0102.05	013, 081
700	TE06.0119.05	013, 081
800	TE06.0103.05	013, 081
900	TE06.0104.05	013, 081


\* products available on order only

COATING CODE: 001 CHROME 013 WHITE 061 BLACK 081 TRANSPARENT 098 WHITE 549 SILVER DS 689 BLACK 924 GRAPHITE

### Wine glass rack



- possible module configurations



type	A x B x C	index	colour
1-row	105 x 334 x 57	WE16.0001.01	001
2-row	215 x 334 x 57	WE16.0002.01	001




**RAILING SYSTEM**

# Railing system

## Basic components



Kitchen




**1 Hanging dish drainer**



index  
WE04.0015.01

colour  
799


**2 Hanging basket for kitchen roll**



index  
WE04.0007.01

colour  
799

**3 Hanging basket large double**



index  
WE04.0018.01

colour  
799

**4 Hanging basket for spices**



index  
WE04.0013.01

colour  
799

**5 Hanging basket corner**



index  
WE04.0010.01

colour  
799

**6 Hanging basket small single**



index  
WE04.0022.01

colour  
799

**7 Railing hook**



index  
TE04.0008.01

colour  
799

**8 Set of 3 spice jars**




index  
WE04.0082.15

colour  
081

COATING CODE: 081 TRANSPARENT 799 BLACK

# Railing system

## Basic components



L	index	colour
600	WE07.0085.01	799
1000	WE07.0086.01	799



index	colour
WE07.0010.01	799



index	colour
TE07.0004.14	799



index	colour
TE07.0006.14	799



index	colour
TE07.0005.14	799





index	colour
TE07.0007.14	799



index	colour
TE07.0010.05	061



### Runner installation diagram

#### Side basket 150-250





Extension system	A	B
Rejs FULL	56	97
Hettich	37	78

#### Side basket for towels 150



Extension system	A	B
Rejs FULL	56	97
Hettich	37	78

#### Cargo extension diagram:



KB - outer width of the cabinet corpus  
LW - inner width of the cabinet corpus  
LT - inner depth of the cabinet corpus  
LH - inner height of the cabinet corpus

L R indicates which side of the cabinet corpus the basket is fixed to

# Technical information

## Variant MULTI Line mini base cargo



Kitchen


### Runner installation diagram

#### Base basket 150-600





##### Rejs FULL

Runner installed to the underbody  
of the cabinet



##### Hettich

Runner installed to the side  
of the cabinet




KB	A
150	80
200	128
250	174
300	224
400	324
500	424
600	524

#### Single base basket 300-600





##### Rejs FULL

Runner installed to the underbody  
of the cabinet



##### Hettich

Runner installed to the side  
of the cabinet




KB	A
300	224
400	324
500	424
600	524

#### Cargo extension diagram:

extendable front



hinged front







KB - outer width of the cabinet corpus


LW - inner width of the cabinet corpus

LT - inner depth of the cabinet corpus

LH - inner height of the cabinet corpus







Cargo extension diagram:




indicates which side of the cabinet corpus the basket is fixed to

cargo type	A
150	min. 114
200	min. 164

### Maxima PURO, SILVA, EVO lines mini base cargo cabinet measurements



Cargo extension diagram:




cargo type	A
300	min. 264
400	min. 364

## Technical details and installation method


### With reinforcing post for standard hinges

Frame installed to the underbody of the corpus




### Without reinforcing post for parallel hinges

Frame installed to the underbody of the corpus




meas.	type of corner		
	800	1000	1200
min. A	370 / 410*	445	520
min. B	540	540	540
min. C	664	750	950

meas.	type of corner		
	800	1000	1200
min. A	370 / 410*	445	520
min. B	510	510	510
min. C	664	750	950



drawing depicts the right-hand side Corner Comfort

### Corner extension diagram:




\* applies to the Maxima EVO Line Corner

maximum load capacity per shelf in kg


the side which the corner is fixed to the cabinet corpus

## Technical details and installation method


### Corner Space 900 - 1000 with front



### Corner Space 900 - 1000 for hinges



### Corner extension diagram:




 maximum load capacity per shelf in kg


  the side which the corner is fixed to the cabinet corpus

### Technical details and installation method


#### Corner Space 1100 - 1200 for hinges



#### Corner Space Plus 1100 - 1200 for hinges



Corner extension diagram:




 maximum load capacity per shelf in kg

 L  R the side which the corner is fixed to the cabinet corpus

## Technical details and installation method


### With reinforcing post for standard hinges

#### Corner Optima 800 / 900




### Without reinforcing post for parallel hinges



#### Corner Optima 800 / 900




#### Corner Optima 1000



#### Corner Optima 1000





meas.	type of shelf		
	800	900	1000
A	800	900	1000
B	520	530	530
C	495	550	516
min. D	411	445	560
E	90	100	154



meas.	type of shelf		
	800	900	1000
A	800	900	1000
B	490	500	500
C	514	590	546
min. D	411	445	560
E	100	100	154

#### Corner extension diagram:




the side which the corner is fixed  
to the cabinet corpus

## Cabinet measurements

### Carousel 1/2



Frame is fitted to the top and underbody of the corpus



Carousel rotation diagram:




meas.	600*	690*	750	820
A	405	450	480	515
B	305	350	380	415
C	610	700	760	830
Ø	595	685	745	815

\*only available in the Variant line


### Carousel 3/4



Frame is fitted to the top and underbody of the corpus



Carousel rotation diagram:




meas.	600*	690*	750	820
A	385	430	460	495
B	305	350	380	415
C	615	705	765	835
Ø	595	685	745	815

\*only available in the Variant line


### Carousel D



Frame is fitted to the top and underbody of the corpus



Carousel rotation diagram:




meas.	510*	750*
A	315	490
B	263	380
C	525	760
Ø	505	745

\*only available in the Variant line


## Casing Measurements

Kitchen

Runner is fitted to the side of the corpus



Cargo extension diagram:





**L** **R** indicates which side of the cabinet corpus the basket is fixed to

cargo midi/maxi side	A
150	min. 114
200	min. 164


## Casing Measurements

Runner is fitted to the side of the corpus

Kitchen



Cargo extension diagram:




**L**    **R** indicates which side of the cabinet corpus the basket is fixed to



cargo midi/maxi side	A
150	min. 114
200	min. 164

**Cabinet measurements**

Runner is fitted to the top and underbody of the corpus



Cargo extension diagram:

REJS 100 kg  
FULTERER 120 kgFULTERER  
rotation 100 kg


A	REJS 100	FULTERER 120	ROTATION 100
	445	485	495
B	445	485	495
E	min. 505	min. 495	min. 505

basket type	D	REJS 100	FULTERER 120	ROTATION 100
Midi 1200-1400		1200-1400	1280-1480	
Maxi 1700-1900		1700-1900	1760-1960	
Maxi 1900-2100		1900-2100	1960-2160	

cargo midi/maxi	C
300	min. 264
400	min. 364








### Cabinet measurements



Cargo extension diagram:






The height of installation  
the hinges to the centre of guide


Cargo extension diagram:



Drilling measurements - front




Positioning in the cabinet




Drilling measurements - front

Positioning in the cabinet

Kitchen




### Single shelf dish drainer



NOTE: 280-320 in a case of using profile with back brackets


type of drainer	A	B
400	362 / 368	280±320
450	412 / 418	280±320
500	462 / 468	280±320
600	562 / 568	280±320
700	662 / 668	280±320
800	762 / 768	280±320
900	862 / 868	280±320

### Variant 1 dish drainer




type of drainer	A	B
400	362 / 368	min. 270
450	412 / 418	min. 270
500	462 / 468	min. 270
600	562 / 568	min. 270
700	662 / 668	min. 270
800	762 / 768	min. 270
900	862 / 868	min. 270

### Variant 3 dish drainer




type of drainer	A	B
400	362 / 368	280±320
450	412 / 418	280±320
500	462 / 468	280±320
600	562 / 568	280±320
700	662 / 668	280±320
800	762 / 768	280±320
900	862 / 868	280±320

### Standard 1 dish drainer




type of drainer	A	B
400	362 / 368	min. 260
450	412 / 418	min. 260
500	462 / 468	min. 260
600	562 / 568	min. 260
700	662 / 668	min. 260
800	762 / 768	min. 260
900	862 / 868	min. 260

### Standard 3 dish drainer




type of drainer	A	B
400	362 / 368	min. 280
450	412 / 418	min. 280
500	462 / 468	min. 280
600	562 / 568	min. 280
700	662 / 668	min. 280
800	762 / 768	min. 280
900	862 / 868	min. 280

### Prima dish drainer



type of drainer	L min./max.	A	B
500	430 / 480	418	421
600	430 / 480	518	521
700	430 / 480	618	621
800	430 / 480	718	721
900	430 / 480	818	821
1000	430 / 480	918	921



### Profile with back brackets



for board 16-19 mm


type of drainer	A
400	362 / 368
450	412 / 418
500	462 / 468
600	562 / 568
700	662 / 668
800	762 / 768
900	862 / 868

### Drawer for plates





width	LW	A
60	564-568	524
70	664-668	624
80	764-768	724
90	864-868	824


### Installation position of the runners in the corpus



### Example drawer assembly




Hanging dish drainer




A x B x C  
445 x 265 x 255

Hanging basket for kitchen roll




A x B x C  
250 x 175 x 190

Hanging basket large double




A x B x C  
450 x 185 x 335

Hanging basket for spices




A x B x C  
210 x 80 x 195


Hanging basket for spices 3



Hanging basket corner




Hanging basket small single




Railing hook



Rail




Corner rail



Rail support bracket straight



Rail support bracket retro



Rail end cap straight



Rail end cap retro



Rail connector





# WASTE SEGREGATION





## *Waste segregation has never been so easy*

Segregating waste at home can be comfortable if you match a set of garbage cans to your habits and guarantee hassle-free access to all garbage cans at once. That is why the REJS range of waste segregation systems includes several different solutions in many variants, so everyone can find the perfect set for themselves.

*Segregation sets can be divided according to the method of installation.*

Inserted into a drawer: PRAKTIKO

**PRAKTIKO** systems include buckets made of durable plastic set on a collective tray. They fit 60, 80 and 90 cm wide drawers, allowing you to adjust them to the space you have. Choose from sets with different numbers and capacities of buckets: from 3 to 4 large baskets, plus 2 or 4 smaller garbage cans.


**SEGREGO** is a functional and convenient drawer system with storage bins that can be fully extended from the cabinet. SEGREGO sets include from 2 to 4 bins of different capacities. They are covered by a collective lid that can function as a separate shelf. They are designed for cabinets of 45, 50, 60 and 80 cm in width.

The **JC** line are bins racks integrated with the slide system, designed for cabinets with hinged fronts, but also for those with pull-out fronts - after purchasing a special assembly kit. Available in 2 heights, the baskets (33 and 44 cm) have a capacity from 7 to even 20 liters. They are covered by a single common lid. JCs are designed for 30, 40, 45 and 60 cm wide cabinets.

The majority of REJS segregation systems can be equipped with available electric assisted opening systems. The Hailo Libero 3.0, developed by German specialists, can be fitted to any drawer. To open it, all you have to do is move your foot around the sensor located in the bottom rim. In turn, with the Servo-Drive Uno by Blum, the drawer is opened by pressing the front with your hand or knee.



### *Product characteristics:*







### Runner Length / Waste bin capacity

### Installation Dimensions


**FRONT 45-50  
NL=480**




**FRONT 60  
NL=400**




**FRONT 60  
NL=480**



**FRONT 80  
NL=480**



\* applies to height 425



NL - nominal runner length


LW - cabinet internal width

HM - height of the installed system


	FRONT 45	FRONT 50	FRONT 60	FRONT 80
H	320    425	320    425	320    425	320    425
HM	330    440	330    440	330    440	330    440
LW	414-418	464-468	564-568	764-768



### *Features of JC for cabinet widths 30-40 cm:*



### *Features of JC for cabinet widths 45-60 cm:*



Possible to be mounted to cabinets with hinged, or pull-out fronts  
(using the front mounting, available to purchase separately)

### JC for cabinet widths 30-40

**FRONT 30** JC603 H=330/440



height	index	colour
330	WE14.1560.05	549
440	WE14.1561.05	549

**FRONT 30** JC604 H=440



height	index	colour
440	WE14.3362.05	549

### JC for cabinet widths 45-60

**FRONT 45** JC607 H=345/450



height	index	colour
345	WE14.1533.05	549
450	WE14.1534.05	549

**FRONT 45** JC606 H=450



height	index	colour
450	WE14.1535.05	549

**FRONT 40** JC602 H=330/440



height	index	colour
330	WE14.3258.05	549
440	WE14.3259.05	549

**FRONT 40** JC601 H=440



height	index	colour
440	WE14.1557.05	549

**FRONT 60** JC609 H=345/450



height	index	colour
345	WE14.2251.05	549
450	WE14.1536.05	549

**FRONT 60** JC609 H=605



height	index	colour
605	WE14.1552.05	549

### Front mounting set for JC601, 602, 603, 604

index  
WE24.0019.01

colour  
062



### Front mounting set for JC606, 607, 609

index  
WE24.0017.01

colour  
549



### JC for cabinets 30-40 waste bin capacity and dimensions

**FRONT 30**

7I/9I*
15I/20I*

**FRONT 30**


9I
9I
9I

**FRONT 40**

9I	9I
20I	

**FRONT 40**

15I/20I*
15I/20I*



LW - cabinet internal width  
HM - height of the installed system

	FRONT 30		FRONT 40	
H	low	high	low	high
HM	330	440	330	440
LW	264		350	

\* applies to height 440

### JC for cabinets 45-60 waste bin capacity and dimensions

**FRONT 45**

15I/20I*
15I/20I*

**FRONT 45**


9I
9I

**FRONT 60**

7I	9I*
15I	20I*

**FRONT 60**

35I	35I




LW - cabinet internal width  
HM - height of the installed system

	FRONT 45		FRONT 60	
H	low	high	low	high
HM	345	450	345	450
LW	414		564	

\* applies to height 450

COATING CODE: 062 WHITE ZINC 549 SILVER DS



### Product characteristics:



<b>FRONT 60</b>	<b>PRAKTIKO 2 x 15/20 l</b>	<b>FRONT 60</b>	<b>PRAKTIKO 1 x 15/20 l + 2 x 7/9 l</b>	<b>FRONT 80</b>	<b>PRAKTIKO 3 x 15/20 l</b>
height 300 400	index WE14.1821.05 WE14.1827.05	height 300 400	index WE14.1822.05 WE14.1828.05	height 300 400	index WE14.1823.05 WE14.1829.05
colour 049 049		colour 049 049		colour 049 049	
<b>FRONT 80</b>	<b>PRAKTIKO 2 x 15/20 l + 2 x 7/9 l</b>	<b>FRONT 90</b>	<b>PRAKTIKO 3 x 15/20 l</b>	<b>FRONT 90</b>	<b>PRAKTIKO 2 x 15/20 l + 2 x 7/9 l</b>
height 300 400	index WE14.1824.05 WE14.1830.05	height 300 400	index WE14.1825.05 WE14.1831.05	height 300 400	index WE14.1826.05 WE14.1832.05
colour 049 049		colour 049 049		colour 049 049	

Waste segregation

### Praktiko: Bin capacity and dimensions

<b>FRONT 60</b>	<b>FRONT 60</b>	<b>FRONT 80</b>
405-490 440 - 525	405-490 440 - 525	405-490 680 - 725
<b>FRONT 80</b>	<b>FRONT 90</b>	<b>FRONT 90</b>
405-490 680 - 725	405-490 780 - 803	405-490 780 - 803
300 400* 40	300 400* 40	300 400* 40

\* applies to height 400

# Waste system Aladin, Sesamo, Automat




## FRONT 40 ALADIN1

- single • with cover • with full extension ball-bearing runner • plastic handles • loading capacity to 10 kg
- bin capacity 1 x 16 l • system fitted to the underbody of the cabinet



16l




index  
TE22.0901.05.000

## FRONT 40 ALADIN2

- double • with cover • with full extension ball-bearing runner • plastic handles • loading capacity to 10 kg
- bin capacity 2 x 8 l • system fitted to the underbody of the cabinet



8l  
8l




index  
TE22.1002.05.000

## FRONT 45 SESAMO1

- single • universal (L/R) • plastic handles • loading capacity to 10 kg • bin capacity 1 x 16 l
- system mounted to the side-wall and front of the cabinet • when opening the front extends out of the cabinet and the cover lifts
- possible to mount to 40 cm cabinet\* (after removing the distance)





16l



index  
TE22.0701.05.000

**FRONT**  
**45** **SESAMO2**



- double • universal (L/R) • plastic handles • loading capacity to 10 kg • bin capacity 2 x 8 l
- system mounted to the side-wall and front of the cabinet • when opening the front extends out of the cabinet and the cover lifts
- possible to mount to 40 cm cabinet\* (after removing the distance)



index  
TE22.0802.05.000

**FRONT**  
**45** **AUTOMAT 270/272**


- single • universal (L/R) • available colours: white (013), silver (049), white/chrome (051) • loading capacity to 10 kg
- bin capacity 1 x 13 l • system mounted to the side wall and front of the cabinet • when opening the front of the bin extends out of the cabinet and the cover lifts



type	index	colour
270	TE22.1110.05	013, 049
272	TE22.1111.05	051



*To open the drawer simply place your foot in the area of the front sensor.*



The **Hailo Livero 3.0** is the latest electric, drawer opening system developed by German Specialists. It does not require a special cabinet, it can be mounted to the bottom of any drawer. Thanks to this system a heavily loaded drawer can be easily opened by moving the foot near the sensor located in the bottom panel. The device can be connect to via wi-fi using a phone or computer. The system has an integrated light, the intensity of which, as well as the speed of the drawer extension, and sensitivity of the sensor, can be adjusted to the needs of the user.



*To open the drawer simply press your hand or knee against its front.*



Thanks to the **Servo-Drive Uno** from Blum, opening and closing drawers can be accomplished by simply applying pressure to the drawer front using a hand or knee. Using this system helps to keep drawer fronts clean, and at the same time the user benefits from the systems soft closing mechanism.

In order to mount the Servo-Drive Uno, a separate frame is needed. This can be purchased separately.

### Hailo Libero 3.0

#### 1 Drive Unit Hailo Libero 3.0




- designed for waste systems Segrego, Sorte, Praktiko
- adjustable drive force, sensor sensitivity, and lighting intensity



index  
TR06.5402.08

colour  
013

### Cabinet mounting



### Aerial perspective



The Hailo Libero 3.0 drive system does not require the use of spacers at the front of the cabinet.

## Blum Servo Drive Uno

### 1 Drive Unit Blum Servo Drive Uno

- designed for waste systems Segrego (except for model width 800), Sorte, Praktiko
- when used with the Segrego system the additional mounting frame is needed



index  
TH04.0943.05

colour  
063

### 2 Frame for electrical drawer opening Segrego

- essential for mounting the Blum Servo Drive system with Segrego (excluding model with width 800)
- adjustable width and depth






index  
WE28.4145.01

colour  
549, 924



## Cabinet Mounting



## Aerial perspective





**Universal waste bin for PRAKTIKO and JC systems 7 l / 9 l**

- waste bin 7 l / 9 l • lid sold separately • suggested bag capacity: 25 l
- waste bins supplied without handles (handles sold separately)



**7 l**      **9 l**





capacity	index	colour
7 l	TE22.1993.05	007, 049
9 l	TE22.1969.05	007, 049

**Universal waste bin for PRAKTIKO and JC systems 15 l / 20 l**

- waste bin 15 l / 20 l • lid sold separately • suggested bag capacity: 35 l / 60 l
- waste bins supplied without handles (handles sold separately)



**15 l**      **20 l**



capacity	index	colour
15 l	TE22.1994.05	007, 049
20 l	TE22.1968.05	007, 049

**Handles for waste bins PRAKTIKO and JC 7 l / 9 l and 15 l / 20 l**

- plastic handles for PRAKTIKO and JC 7 l / 9 l and 15 l / 20 l waste bins • handles sold individually
- for each waste bin, 2 handles are required



for waste bin	index	colour
7 l / 9 l	TE22.6580.05	007, 044, 046, 047, 089
15 l / 20 l	TE22.6568.05	007, 044, 046, 047, 089

### Lids for PRAKTIKO and JC 7 l / 9 l / 15 l / 20 l

- universal waste bin lids for PRAKTIKO and JC 7 l / 9 l and 15 l / 20 l



for waste bin	index	colour
7 l / 9 l	TE22.5680.05	007, 049
15 l / 20 l	TE22.5668.05	007, 049



Waste segregation

### Mini container for PRAKTIKO

- small container with height 110 mm • fits to PRAKTIKO trays or the SORTE 90 frame • suitable for segregating smaller waste items such as food waste or bottle tops • ideally suited for neatly storing small accessories such as bin bags
- using our bracket (sold separately) the mini container can be mounted to the cabinet front



index	colour
TE22.1188.05	007, 049



### Mounting bracket for waste bins

- designed for hanging waste bins to cabinet fronts • loading capacity of mounted bins 7 kg
- compatible with the full range of JC / Praktiko bins • quick and easy installation



index	colour
WE14.2149.01	062



### Flexible siphon housing


- for use in drawers with a depth of NL = 270 - 650
- designed for drawers with a bottom made of 16 mm board
- compatible with high and low drawers from all manufacturers
- made of flexible material, facilitating an easy fit to the drawer



index	colour
TH02.8202.05	007, 013, 049

### Distancer for sink hose


- distancer keeps hoses and wires in one place
- made of metal
- fitted to the side of the cabinet



index	colour
WE28.2301.01	062

### Cover - shelf for undersink cabinet

- shelf for small accessories
- made of metal
- available in silver or graphite colours
- mounted to cabinet side



index	colour
WE28.2460.01	549, 924





# DRAWER SYSTEMS

and runners





## *Everything in its place*

Drawers are one of the most versatile and convenient solutions. They work well in the kitchen and pantry, but also: bathrooms, living rooms, offices and children's rooms. Available in two variants: inside and front, as well as many sizes - they make it easy to store and organize things large and small.

Unlike traditional shelves, drawer systems allow full use of space and easier access to stored items. The use of internal organization systems - dividers, rails and inserts (metal, plastic and wooden) makes it easier to keep things in order even among small items, while the use of top-quality slides with quiet soft-close and guarantees smooth movement and discreet closing. Even waste segregation systems can be set up in the top drawers.

REJS offers several drawer systems that differ in both appearance and functions.

The bestselling **Comfort Box** and **Slim Box** and the latest **Ultra Box** come in both interior and front versions. They are available in several colours: white, graphite, silver and black.

**Maxima PURO** drawers are very popular. Made of the highest quality stainless steel, they are available in two colour versions to choose from: black with wood decor and white with glass. In addition to the front drawers, noteworthy is the new drawer with automatic extension under the hinge, as well as internal models, which come in 2 heights: 5 and 8 cm, and 3 widths: 60, 80 and 90 cm. The lower ones come without a decor front, making them suitable for storing, for example, small household appliances.

The latest offering is the **Ultra Box** drawers, which are distinguished by their slim lines, while being extremely sturdy and absolutely practical. UltraBox drawers are easy to assemble and adjust, and the soft drawer pull provides comfort. They are offered in 4 heights: 86, 118, 167 and 199 mm and 6 slide lengths of 30, 35, 40, 45, 50 and 55 cm. They are available in two colours: elegant white and practical graphite.

# Drawer systems

## Overview of the icons used in the catalogue



### Application:



drawer with front



internal drawer

### Packaging:



2 pcs in a set

bulk packaging  
100 sets

### Characteristics:

#### Drawer side-wall height



#### Height of runner



#### Type of runner



roller



ball-bearing



side mounted



bottom mounted

#### Available nominal lengths of the runner systems



#### Load capacity in kg



#### Type of extension



partial



full

#### Additional information



sheet metal product



wood decor



glass decor



for boards of various thicknesses

#### Opening/closing options



soft closing



push to open



synchronisation



release option



3 dimensional regulation



tested to 60.000 cycles



material



coating



3D model



**DRAWER SYSTEMS**




**Maxima PURO internal drawer H=80****Characteristics****Drawer components****1 Maxima PURO internal drawer**

drawer + runner + plugs + front mounting left/right + glass front (included in white drawer set), or wood ( included in black drawer set) + anti slip mat

width	nominal length of runner	index	colour
600	480	WE35.0002.01	A18, 331
800	480	WE35.0003.01	A18, 331
900	480	WE35.0004.01	A18, 331




**Maxima PURO with automatic extension internal drawers H=80****Characteristics****Drawer components****1 Maxima PURO with automatic extension internal drawers**


drawer, runners, runners cover plates, front fixing, extension system, anti-slip mat

width	nominal length of runner	index	colour
600	480	WE35.0060.01	A18, 331


## Ultra Box H=86




## Ultra Box H=118



## Ultra Box H=167



## Ultra Box H=199



### Characteristics



### Runner system components

#### 1 Ultra Box

runner + side + plugs left/right




nominal length of runner	Ultra Box H=86		nominal length of runner	Ultra Box H=118		nominal length of runner	Ultra Box H=167		nominal length of runner	Ultra Box H=199	
	index	colour		index	colour		index	colour		index	colour
300	TH03.1157.01	003, 924	300	TH03.1163.01	003, 924	300	TH03.1169.01	003, 924	300	TH03.1175.01	003, 924
350	TH03.1158.01	003, 924	350	TH03.1164.01	003, 924	350	TH03.1170.01	003, 924	350	TH03.1176.01	003, 924
400	TH03.1159.01	003, 924	400	TH03.1165.01	003, 924	400	TH03.1171.01	003, 924	400	TH03.1177.01	003, 924
450	TH03.1160.01	003, 924	450	TH03.1166.01	003, 924	450	TH03.1172.01	003, 924	450	TH03.1178.01	003, 924
500	TH03.1161.01	003, 924	500	TH03.1167.01	003, 924	500	TH03.1173.01	003, 924	500	TH03.1179.01	003, 924
550	TH03.1162.01	003, 924	550	TH03.1168.01	003, 924	550	TH03.1174.01	003, 924	550	TH03.1180.01	003, 924




Ultra Box drawers with front in graphite and white


Ultra Box H=86




Ultra Box H=118



Ultra Box H=167



Ultra Box H=199



## Characteristics



## Runner system components

### 1 Ultra Box

runner + side + plugs left/right



### 2 Universal front mounting

front mounting + front support left/right



### 3 Metal front for drawers H=86, 118, 167, 199






L-1200 mm cutting template LW-98



### 4 Rectangular railing for H=167, 199

L-1100 mm cutting template LW-55



**Slim Box H=89****Slim Box H=121****Slim Box H=185 / Slim Box - side decor H=185****Slim Box H=249****Slim Box with side railing H=89, 121, 185, 249**

## Characteristics



## Runner system components

### 1 Slim Box

runner + side + plugs left/right



#### soft-close

nominal length of runner	Slim Box H=89		nominal length of runner	Slim Box H=121		nominal length of runner	Slim Box H=185		nominal length of runner	Slim Box H=249	
	index	colour		index	colour		index	colour		index	colour
300	TH03.0839.01	003, 924	300	TH03.0838.01	003, 924	300	TH03.0840.01	003, 924	300	TH03.0907.01	003, 924
350	TH03.0814.01	003, 924	350	TH03.0778.01	003, 924	350	TH03.0779.01	003, 924	350	TH03.0908.01	003, 924
400	TH03.0746.01	003, 924	400	TH03.0738.01	003, 924	400	TH03.0742.01	003, 924	400	TH03.0909.01	003, 924
450	TH03.0747.01	003, 689, 924	450	TH03.0739.01	003, 689, 924	450	TH03.0743.01	003, 689, 924	450	TH03.0910.01	003, 924
500	TH03.0748.01	003, 689, 924	500	TH03.0740.01	003, 689, 924	500	TH03.0744.01	003, 689, 924	500	TH03.0911.01	003, 924
550	TH03.0749.01	003, 689, 924	550	TH03.0741.01	003, 689, 924	550	TH03.0745.01	003, 689, 924	550	TH03.0912.01	003, 924

#### push-open

nominal length of runner	Slim Box H=89		nominal length of runner	Slim Box H=121		nominal length of runner	Slim Box H=185		nominal length of runner	Slim Box H=249	
	index	colour		index	colour		index	colour		index	colour
300	TH03.0913.01	003, 924	300	TH03.0919.01	003, 924	300	TH03.0916.01	003, 924	300	TH03.0907.01	003, 924
350	TH03.0914.01	003, 924	350	TH03.0920.01	003, 924	350	TH03.0917.01	003, 924	350	TH03.0908.01	003, 924
400	TH03.0915.01	003, 924	400	TH03.0921.01	003, 924	400	TH03.0918.01	003, 924	400	TH03.0909.01	003, 924
450	TH03.0750.01	003, 924	450	TH03.0922.01	003, 924	450	TH03.0752.01	003, 924	450	TH03.0910.01	003, 924
500	TH03.0751.01	003, 924	500	TH03.0923.01	003, 924	500	TH03.0753.01	003, 924	500	TH03.0911.01	003, 924

### 1 Slim Box H=185 with side decor


left/right



nominal length of runner	index	colour
450	TH03.0863.01	003, 924
500	TH03.0864.01	003, 924

### 2 Slim Box - glass side decor

left/right



nominal length of runner	index	colour
450	TN04.6313.15	007, 081
500	TN04.6314.15	007, 081

## Additional components

### A Rectangular railing

left/right



nominal length of runner	index	colour
400	TH03.0756.01	003, 924
450	TH03.0757.01	003, 924
500	TH03.0758.01	003, 924
550	TH03.0759.01	003, 924



Slim Box drawer with front in black!

Drawer systems  
**Slim Box - internal drawers**



**Slim Box H=89**



**Slim Box H=121**



**Slim Box H=185**



**Slim Box - side decor H=185**



Internal drawer Slim Box in black with metal front



Internal drawer Slim Box in black with glass front

## Characteristics



## Runner system components

### 1 Slim Box

runner + side + plugs left/right



#### soft-close

nominal length of runner	Slim Box H=89			nominal length of runner	Slim Box H=121			nominal length of runner	Slim Box H=185		
	index	colour			index	colour			index	colour	
300	TH03.0839.01	003, 924		300	TH03.0838.01	003, 924		300	TH03.0840.01	003, 924	
350	TH03.0814.01	003, 924		350	TH03.0778.01	003, 924		350	TH03.0779.01	003, 924	
400	TH03.0746.01	003, 924		400	TH03.0738.01	003, 924		400	TH03.0742.01	003, 924	
450	TH03.0747.01	003, 689, 924		450	TH03.0739.01	003, 689, 924		450	TH03.0743.01	003, 689, 924	
500	TH03.0748.01	003, 689, 924		500	TH03.0740.01	003, 689, 924		500	TH03.0744.01	003, 689, 924	
550	TH03.0749.01	003, 689, 924		550	TH03.0741.01	003, 689, 924		550	TH03.0745.01	003, 689, 924	

### 1 Slim Box H=185 with side decor



left/right

nominal length of runner	index	colour	nominal length of runner	index	colour
450	TH03.0863.01	003, 924	450	TN04.6313.15	007, 081
500	TH03.0864.01	003, 924	500	TN04.6314.15	007, 081

### 2 Slim Box - glass side decor



left/right

### A Components - metal front

### B Components - metal front + glass

### 3 Universal front mounting

front mounting left / right + bottom support + fastening screws

height	index	colour
89	TH03.1003.05	007, 013, 689
121	TH03.1004.05	007, 013, 689
185	TH03.1005.05	007, 013, 689

### 4A Metal front



L-1100 mm cutting template LW-87

height	index	colour
89		
121	TH03.0562.01	003, 689, 924
185		

### 4B Front - metal panel

### L-1100 mm cutting template LW-87

height	index	colour
89		
121	TH03.0567.01	003, 689, 924
185		

### 5A Front railing







L-1100 mm cutting template LW-55

index	colour
TH03.0566.01	003, 689, 924

### 5B Front - glass panel



height	h	KB	index	colour
89	44	600	TN04.1408.15	007, 081
		800	TN04.1409.15	007, 081
121	76	600	TN04.1508.15	007, 081
		800	TN04.1509.15	007, 081
185	140	600	TN04.1608.15	007, 081
		800	TN04.1609.15	007, 081

**Comfort Box H=86****Comfort Box H=140****Comfort Box H=164****Comfort Box H=204**

### Characteristics



### Runner system components

#### 1 Comfort Box

runner + sides + plugs + front mounting left/right



##### soft-close

nominal length of runner	index	colour
270	TH03.0363.01	002, 003
300	TH03.0364.01	002, 003
350	TH03.0365.01	002, 003
400	TH03.0366.01	002, 003
450	TH03.0367.01	002, 003
500	TH03.0368.01	002, 003
550	TH03.0573.01	002, 003

##### push-open

nominal length of runner	index	colour
300	TH03.0702.01	002, 003
350	TH03.0703.01	002, 003
400	TH03.0704.01	002, 003
450	TH03.0418.01	002, 003
500	TH03.0419.01	002, 003

#### 2 Back fixing

left/right



height	index	colour
86	TH03.0360.01	002, 003
140	TH03.0361.01	002, 003
164	TH03.0362.01	002, 003
204	TH03.0330.01	002, 003

### Alternative components (please select the style of railing - round or rectangular)

#### 3 Upper round railing

left/right



nominal length of runner	index	colour
270	TH03.0335.01	002, 003
300	TH03.0336.01	002, 003
350	TH03.0337.01	002, 003
400	TH03.0338.01	002, 003
450	TH03.0339.01	002, 003
500	TH03.0340.01	002, 003
550	TH03.0577.01	002, 003

#### 3 Upper rectangular railing

left/right



nominal length of runner	index	colour
270	TH03.0369.01	002, 003
300	TH03.0370.01	002, 003
350	TH03.0371.01	002, 003
400	TH03.0372.01	002, 003
450	TH03.0373.01	002, 003
500	TH03.0374.01	002, 003
550	TH03.0575.01	002, 003

#### 4 Middle round railing

left/right







nominal length of runner	index	colour
400	TH03.0334.01	002, 003
450	TH03.0242.01	002, 003
500	TH03.0243.01	002, 003

#### 4 Middle rectangular railing

left/right



nominal length of runner	index	colour
400	TH03.0378.01	002, 003
450	TH03.0379.01	002, 003
500	TH03.0380.01	002, 003

**Comfort Box H=86****Comfort Box H=140****Comfort Box H=164****Comfort Box H=204**

## Characteristics



## Runner system components

### 1 Comfort Box

runner + sides + plugs + front mounting left/right



#### soft-close

nominal length of runner	index	colour
270	TH03.0363.01	002, 003
300	TH03.0364.01	002, 003
350	TH03.0365.01	002, 003
400	TH03.0366.01	002, 003
450	TH03.0367.01	002, 003
500	TH03.0368.01	002, 003
550	TH03.0573.01	002, 003

### 2 Back mounting

left/right

height	index	colour
86	TH03.0360.01	002, 003
140	TH03.0361.01	002, 003
164	TH03.0362.01	002, 003
204	TH03.0330.01	002, 003

### 3 Front

L=1100 mm cutting template LW-87 mm

index	colour
TH03.0353.08	002, 003

## Alternative components (please select the style of railing - round or rectangular)

### 4 Front fixing

round railing - left/right



height	index	colour
86	TH03.0355.05	013, 036
140	TH03.0392.05	013, 036
164	TH03.0393.05	013, 036
204	TH03.0356.05	013, 036

### 5 Front round railing

L=1100 mm cutting template LW-70 mm



index	colour
TH03.0354.01	002, 003

### 6 Handle

for round railing



index	colour
TH03.0357.05	013, 036

### 7 Upper round railing

left/right



nominal length of runner	index	colour
270	TH03.0335.01	002, 003
300	TH03.0336.01	002, 003
350	TH03.0337.01	002, 003
400	TH03.0338.01	002, 003
450	TH03.0339.01	002, 003
500	TH03.0340.01	002, 003
550	TH03.0577.01	002, 003

### 8 Middle round railing

left/right



nominal length of runner	index	colour
400	TH03.0334.01	002, 003
450	TH03.0242.01	002, 003
500	TH03.0243.01	002, 003

### 4 Front fixing

rectangular railing - left/right



height	index	colour
86	TH03.0355.05	013, 036
140	TH03.0392.05	013, 036
164	TH03.0755.05	013, 036
204	TH03.0754.05	013, 036

### 5 Front rectangular railing

L-1100 mm cutting template LW-70 mm



index	colour
TH03.0566.01	002, 003

### 7 Upper rectangular railing

left/right



nominal length of runner	index	colour
270	TH03.0369.01	002, 003
300	TH03.0370.01	002, 003
350	TH03.0371.01	002, 003
400	TH03.0372.01	002, 003
450	TH03.0373.01	002, 003
500	TH03.0374.01	002, 003
550	TH03.0575.01	002, 003


### 8 Middle rectangular railing

left/right




nominal length of runner	index	colour
400	TH03.0378.01	002, 003
450	TH03.0379.01	002, 003
500	TH03.0380.01	002, 003


**Metal Box H=54**



**Metal Box H=86**



**Metal Box H=150**



## Characteristics



without railing 2D  
with railing 3D

## Runner system components

### 1 Metal Box

runner + side + front mounting left/right



Metal Box H=54		
nominal length of runner	index	colour
400	TH03.0053.01	003
450	TH03.0054.01	003
500	TH03.0055.01	003

Metal Box H=86		
nominal length of runner	index	colour
300	TH03.0195.01	003
350	TH03.0057.01	002, 003
400	TH03.0058.01	002, 003
450	TH03.0059.01	002, 003
500	TH03.0060.01	002, 003
550	TH03.0061.01	003

Metal Box H=150		
nominal length of runner	index	colour
300	TH03.0219.01	003
350	TH03.0196.01	003
400	TH03.0049.01	003
450	TH03.0050.01	002, 003
500	TH03.0051.01	002, 003
550	TH03.0220.01	003

## Additional components

### 2 Soft Close damper\*

left/right



index	colour
TJ03.9880.05	063

\* for damper mounting instructions, please see p. 137 damper  
for Metal Box drawers from 350 to 550 mm

### 3 Metal Box railing

left/right



nominal length of runner	index	colour
400	TH03.0294.01	003
450	TH03.0295.01	003
500	TH03.0296.01	003





## INTERNAL ORGANISATION SYSTEMS FOR DRAWERS




## Wooden inserts

- for drawers 500 mm deep
- compatible with Ultra Box / Slim Box front and Blum Legrabox
- can be used with other drawer systems, e.g. Comfort Box (perfect fit not guaranteed)
- 5 types of inserts designed to store specific products
- sold individually enabling tailored layout
- if the chosen layout necessitates space between inserts we recommend using our anti-slip mat (p.130)



### Basic Components

**1** Insert for knives and forks



width	index	colour
260	T001.1008.48	227

**2** Insert for spices




width	index	colour
260	T001.1108.48	227

**3** Insert for kitchen knives



width	index	colour
200	T001.1209.48	227

**4** Insert for kitchen parchments



width	index	colour
200	T001.1309.48	227

**5** Universal insert



width	index	colour
100	T001.1410.48	227


**Complementary components**

**a2** Spice jar set




index	colour
WE04.0082.15	081

**6** Wooden dividers insert\*



width (A)	index	colour
420	T001.1501.48	227
520	T001.1502.48	227
720	T001.1503.48	227
820	T001.1504.48	227





**1 + 2 + 3 + 4 + 5 + 6**

\* compatible with front and internal drawers

COATING CODE: 081 TRANSPARENT 227 CLEAR OAK VARNISH

Examples of possible layouts  
with various drawer widths:








## Metal frames

- for Ultra Box / Slim Box drawers with depths 450, 500 and 550 mm
- available in 3 widths and 3 lengths
- sold individually enabling tailored configuration
- one divider included, possible to add more dividers
- can accommodate our metal containers (p. 128)
- we recommend using a non-slip mat (p. 130)




## Basic Components

**1** Frame 88 mm




NL	index	colour
450	TH03.0800.01	003, 689, 924
500	TH03.0801.01	003, 689, 924
550	TH03.0802.01	003, 689, 924

**2** Frame 176 mm



NL	index	colour
450	TH03.0803.01	003, 689, 924
500	TH03.0804.01	003, 689, 924
550	TH03.0805.01	003, 689, 924

**3** Frame 264 mm



NL	index	colour
450	TH03.0806.01	003, 689, 924
500	TH03.0807.01	003, 689, 924
550	TH03.0808.01	003, 689, 924


## Complementary components

**a1** Divider for frame 88 mm




width	index	colour
88	TH03.0788.01	003, 689, 924

**a2** Divider for frame 176 mm




width	index	colour
176	TH03.0789.01	003, 689, 924

**a3** Divider for frame 264 mm



width	index	colour
264	TH03.0790.01	003, 689, 924



**1 + 2 + 3**

Example configuration of a set of metal frames and dividers  
Internal dimensions of the frame

### ① Instructions for completing frame sets:

- determine the width of the cabinet (KB) and the depth of the drawer (NL)
- any combination of complete frames is possible
- the frame combinations shown below are examples

**1** Frame 88 mm

**2** Frame 176 mm

**3** Frame 264 mm



### Basic Components

Width of cabinet (KB) 300 mm	Width of cabinet (KB) 400 mm	Width of cabinet (KB) 500 mm																																																															
<b>2</b>	<b>2 + 1</b>	<b>3 + 1</b>																																																															
<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0805.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0803.01	003, 689, 924	500	1x TH03.0804.01	003, 689, 924	550	1x TH03.0805.01	003, 689, 924	<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0800.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0801.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0802.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0805.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0800.01	003, 689, 924		1x TH03.0803.01	003, 689, 924	500	1x TH03.0801.01	003, 689, 924		1x TH03.0804.01	003, 689, 924	550	1x TH03.0802.01	003, 689, 924		1x TH03.0805.01	003, 689, 924	<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0800.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0801.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0802.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0800.01	003, 689, 924		1x TH03.0806.01	003, 689, 924	500	1x TH03.0801.01	003, 689, 924		1x TH03.0807.01	003, 689, 924	550	1x TH03.0802.01	003, 689, 924		1x TH03.0808.01	003, 689, 924									
NL	index	colour																																																															
450	1x TH03.0803.01	003, 689, 924																																																															
500	1x TH03.0804.01	003, 689, 924																																																															
550	1x TH03.0805.01	003, 689, 924																																																															
NL	index	colour																																																															
450	1x TH03.0800.01	003, 689, 924																																																															
	1x TH03.0803.01	003, 689, 924																																																															
500	1x TH03.0801.01	003, 689, 924																																																															
	1x TH03.0804.01	003, 689, 924																																																															
550	1x TH03.0802.01	003, 689, 924																																																															
	1x TH03.0805.01	003, 689, 924																																																															
NL	index	colour																																																															
450	1x TH03.0800.01	003, 689, 924																																																															
	1x TH03.0806.01	003, 689, 924																																																															
500	1x TH03.0801.01	003, 689, 924																																																															
	1x TH03.0807.01	003, 689, 924																																																															
550	1x TH03.0802.01	003, 689, 924																																																															
	1x TH03.0808.01	003, 689, 924																																																															
Width of cabinet (KB) 600 mm	Width of cabinet (KB) 700 mm	Width of cabinet (KB) 800 mm																																																															
<b>3 + 2</b>	<b>2 + 3 + 2</b>	<b>3 + 3 + 2</b>																																																															
<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0805.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0803.01	003, 689, 924		1x TH03.0806.01	003, 689, 924	500	1x TH03.0804.01	003, 689, 924		1x TH03.0807.01	003, 689, 924	550	1x TH03.0805.01	003, 689, 924		1x TH03.0808.01	003, 689, 924	<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>2x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>2x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>2x TH03.0805.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	2x TH03.0803.01	003, 689, 924		1x TH03.0806.01	003, 689, 924	500	2x TH03.0804.01	003, 689, 924		1x TH03.0807.01	003, 689, 924	550	2x TH03.0805.01	003, 689, 924		1x TH03.0808.01	003, 689, 924	<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0805.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0803.01	003, 689, 924		2x TH03.0806.01	003, 689, 924	500	1x TH03.0804.01	003, 689, 924		2x TH03.0807.01	003, 689, 924	550	1x TH03.0805.01	003, 689, 924		2x TH03.0808.01	003, 689, 924
NL	index	colour																																																															
450	1x TH03.0803.01	003, 689, 924																																																															
	1x TH03.0806.01	003, 689, 924																																																															
500	1x TH03.0804.01	003, 689, 924																																																															
	1x TH03.0807.01	003, 689, 924																																																															
550	1x TH03.0805.01	003, 689, 924																																																															
	1x TH03.0808.01	003, 689, 924																																																															
NL	index	colour																																																															
450	2x TH03.0803.01	003, 689, 924																																																															
	1x TH03.0806.01	003, 689, 924																																																															
500	2x TH03.0804.01	003, 689, 924																																																															
	1x TH03.0807.01	003, 689, 924																																																															
550	2x TH03.0805.01	003, 689, 924																																																															
	1x TH03.0808.01	003, 689, 924																																																															
NL	index	colour																																																															
450	1x TH03.0803.01	003, 689, 924																																																															
	2x TH03.0806.01	003, 689, 924																																																															
500	1x TH03.0804.01	003, 689, 924																																																															
	2x TH03.0807.01	003, 689, 924																																																															
550	1x TH03.0805.01	003, 689, 924																																																															
	2x TH03.0808.01	003, 689, 924																																																															
Width of cabinet (KB) 900 mm	Width of cabinet (KB) 1000 mm																																																																
<b>1 + 3 + 3 + 2</b>	<b>3 + 3 + 2 + 2</b>	<p>NL - Nominal length of runner KB - External cabinet width</p>																																																															
<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>1x TH03.0800.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>1x TH03.0801.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>1x TH03.0802.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>1x TH03.0805.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	1x TH03.0800.01	003, 689, 924		1x TH03.0803.01	003, 689, 924		2x TH03.0806.01	003, 689, 924	500	1x TH03.0801.01	003, 689, 924		1x TH03.0804.01	003, 689, 924		2x TH03.0807.01	003, 689, 924	550	1x TH03.0802.01	003, 689, 924		1x TH03.0805.01	003, 689, 924		2x TH03.0808.01	003, 689, 924	<table border="1"> <thead> <tr> <th>NL</th><th>index</th><th>colour</th></tr> </thead> <tbody> <tr> <td>450</td><td>2x TH03.0803.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0806.01</td><td>003, 689, 924</td></tr> <tr> <td>500</td><td>2x TH03.0804.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0807.01</td><td>003, 689, 924</td></tr> <tr> <td>550</td><td>2x TH03.0805.01</td><td>003, 689, 924</td></tr> <tr> <td></td><td>2x TH03.0808.01</td><td>003, 689, 924</td></tr> </tbody> </table>	NL	index	colour	450	2x TH03.0803.01	003, 689, 924		2x TH03.0806.01	003, 689, 924	500	2x TH03.0804.01	003, 689, 924		2x TH03.0807.01	003, 689, 924	550	2x TH03.0805.01	003, 689, 924		2x TH03.0808.01	003, 689, 924													
NL	index	colour																																																															
450	1x TH03.0800.01	003, 689, 924																																																															
	1x TH03.0803.01	003, 689, 924																																																															
	2x TH03.0806.01	003, 689, 924																																																															
500	1x TH03.0801.01	003, 689, 924																																																															
	1x TH03.0804.01	003, 689, 924																																																															
	2x TH03.0807.01	003, 689, 924																																																															
550	1x TH03.0802.01	003, 689, 924																																																															
	1x TH03.0805.01	003, 689, 924																																																															
	2x TH03.0808.01	003, 689, 924																																																															
NL	index	colour																																																															
450	2x TH03.0803.01	003, 689, 924																																																															
	2x TH03.0806.01	003, 689, 924																																																															
500	2x TH03.0804.01	003, 689, 924																																																															
	2x TH03.0807.01	003, 689, 924																																																															
550	2x TH03.0805.01	003, 689, 924																																																															
	2x TH03.0808.01	003, 689, 924																																																															





## Metal containers for frames

- containers intended for use in the metal frame system of Ultra Boxes / Slim Boxes
- made of INOX steel
- height: 58 mm
- available in 3 lengths: 88, 176 and 264 mm
- sold individually
- enabling tailored configuration
- the dimensions given in the tables can be used as a guide



### Basic Components

A	Container 88 mm	B	Container 176 mm	C	Container 264 mm
w x d x h	index	colour	w x d x h	index	colour
88 x 88 x 58	TH03.0797.08	A62	88 x 176 x 58	TH03.0798.08	A62
					88 x 264 x 58
					TH03.0799.08
					A62

### Complementary components

1	Frame 88 mm	2	Frame 176 mm	3	Frame 264 mm
<b>A + C</b>	<b>B + C + C</b>	<b>4 x C</b>			
NL	index	colour	NL	index	colour
450	1x TH03.0797.08	A62	450	1x TH03.0798.08	A62
	1x TH03.0799.08	A62		2x TH03.0799.08	A62
<b>1</b>	<b>Frame 88 mm</b>	<b>2</b>	<b>Frame 176 mm</b>	<b>3</b>	<b>Frame 264 mm</b>

1	Frame 88 mm	2	Frame 176 mm	3	Frame 264 mm
<b>B + C</b>	<b>B + B + C + C</b>	<b>5 x C</b>			
NL	index	colour	NL	index	colour
500	1x TH03.0798.08	A62	500	2x TH03.0798.08	A62
	1x TH03.0799.08	A62		2x TH03.0799.08	A62
<b>1</b>	<b>Frame 88 mm</b>	<b>2</b>	<b>Frame 176 mm</b>	<b>3</b>	<b>Frame 264 mm</b>

1	Frame 88 mm	2	Frame 176 mm	3	Frame 264 mm				
<b>A + B + B</b>	<b>B + B + C + C</b>	<b>5 x C</b>							
NL	index	colour	NL	index	colour				
550	1x TH03.0797.08	A62	550	2x TH03.0798.08	A62				
	2x TH03.0798.08	A62						5x TH03.0799.08	A62
					5x TH03.0799.08	A62			

COATING CODE: A62 SILVER INOX






#### Anti-slip mat



- available in 4 colours
- prevents the dishes from shifting when opening and closing drawers
- facilitates cleaning
- protects the drawer against dirt and scratching
- quietens the sound of items being placed in the draw
- can be cut to size
- improves the interior aesthetics of the drawer



dimensions	index	colour
5000 x 474	TE13.1201.05	007, 013, 036, 061
5000 x 524	TE13.1202.05	007, 013, 036, 061

COATING CODE: 007 GRAPHITE 013 WHITE 036 METALIC 061 BLACK

# Drawer systems

## Internal organisation

### UNI and PRO - drawer inserts




- silver and white inserts
- made of smooth, glossy plastic
- for drawers on 450 mm and 500 mm runners
- for drawers 300-900 mm wide
- can be individually cut to size



#### Drawer insert UNI

for drawers with 450 mm runners




outside width of cabinet	index	colour
300	TE13.2501.05	013, 036
400	TE13.2502.05	013, 036
450	TE13.2515.05	013, 036
500	TE13.2503.05	013, 036
600	TE13.2504.05	013, 036
700	TE13.2558.05	013, 036
800	TE13.2505.05	013, 036
900	TE13.2506.05	013, 036




#### Drawer insert PRO

for drawers with 500 mm runners


outside width of cabinet	index	colour
300	TE13.2664.05	013, 036
400	TE13.2665.05	013, 036
500	TE13.2666.05	013, 036
600	TE13.2667.05	013, 036
700	TE13.2671.05	013, 036
800	TE13.2668.05	013, 036
900	TE13.2669.05	013, 036




#### Examples of cutting Ultra Box, Slim Box and Comfort Box drawer inserts



Ultra Box scheme



Slim Box scheme



Comfort Box scheme

NL - nominal runner length  
LW - Internal drawer width

### Internal organisation components

**1 Metal frames**

set  
Information about how to complete this product on p.124



dimensions	NL	index	colour
88	450	TH03.0800.01	003, 689, 924
	500	TH03.0801.01	003, 689, 924
	550	TH03.0802.01	003, 689, 924
176	450	TH03.0803.01	003, 689, 924
	500	TH03.0804.01	003, 689, 924
	550	TH03.0805.01	003, 689, 924
264	450	TH03.0806.01	003, 689, 924
	500	TH03.0807.01	003, 689, 924
	550	TH03.0808.01	003, 689, 924

**2 Divider for metal frames**

pcs  
Information relating to this product on p.124



dimensions	index	colour
88	TH03.0788.01	003, 689, 924
176	TH03.0789.01	003, 689, 924
264	TH03.0790.01	003, 689, 924

**3 Metal container**

pcs  
Information relating to this product on p.128



dimensions	index	colour
88	TH03.0797.08	A62
176	TH03.0798.08	A62
264	TH03.0799.08	A62

**5 Rectangular railing T connector**

pcs



index	colour
TH03.0398.05	013, 049

**6 Rectangular railing cross connector**

pcs

index	colour
TH03.0399.05	013, 049, 689

**7 Rectangular railing L-1100**

Template for cutting LW - 60 mm (for width)  
NL - 35 mm (for length)

index	colour
TH03.0400.01	003, 689, 924

**8 End cap for rectangular railing**

pcs

index	colour
TH03.0401.05	013, 049, 689

**9 Rectangular railing connector II**

pcs

index	colour
TH03.0842.05	007, 013, 689

**10 Metal divider**

pcs

index	colour
TH03.0761.01	003, 924

**11 Plastic divider**

pcs


index	colour
TH03.0760.05	013, 036

**12 Plate holder**



pcs

index	colour
TH03.0387.02	012

## Components for drawers H=89





## Components for drawers H=121, 185, 249





## Components for drawers H=185, 249



## Components for drawers with railing H=89, 121, 185, 249




## Components for drawers with glass sides H=185



NL - Nominal runner length

LW - Internal cabinet width

KB - External cabinet width



### Internal organisation components

**1 Round railing T connector**

pcs

index  
TH03.0394.05colour  
013, 049**2 Round railing cross connector**

pcs

index  
TH03.0395.05colour  
013, 049**3 Round railing L-1100**Template for cutting LW - 60 mm (for width)  
NL - 35 mm (for length)index  
TH03.0354.01colour  
002, 003**4 End cap for round railing**

pcs

index  
TH03.0397.05colour  
013, 049**5 Cross panel divider (round railing)**

pcs

index  
TH03.0325.01colour  
002, 003**6 Rectangular railing T connector**

pcs

index  
TH03.0398.05colour  
013, 049**7 Rectangular railing cross connector**

pcs

index  
TH03.0399.05colour  
013, 049**8 Rectangular railing L-1100**Template for cutting LW - 60 mm (for width)  
NL - 35 mm (for length)index  
TH03.0400.01colour  
002, 003**9 End cap for rectangular railing**

pcs

index  
TH03.0401.05colour  
013, 049**10 Plastic divider (rectangular railing)**

pcs

index  
TH03.0760.05colour  
013, 036**11 Metal divider (rectangular railing)**

pcs

index  
TH03.0761.01colour  
002, 003**12 Cross panel L-1100**Template for cutting  
KB-137 mmindex  
TH03.0407.01colour  
002, 003**13 End cap for cross panel**Perforated panel  
left/rightindex  
TH03.0408.05colour  
013, 049**14 Perforated side panel H=164**

left/right








index  
TH03.0404.01colour  
002, 003length  
400  
450  
500index  
TH03.0405.01  
TH03.0406.01colour  
002, 003  
002, 003  
002, 003**15 Perforated side panel H=204**

left/right

index  
TH03.0325.01colour  
002, 003length  
300  
350  
400  
450  
500  
550index  
TH03.0382.01  
TH03.0383.01  
TH03.0384.01  
TH03.0321.01  
TH03.0322.01  
TH03.0579.01colour  
002, 003  
002, 003  
002, 003  
002, 003  
002, 003  
002, 003**16 Clip for glass side panel**H=204  
left/right, front/backindex  
TH03.0410.05colour  
013, 049**17 Glass side panel H=204**

left/right, front/back



index  
TH03.0407.15colour  
081length  
500index  
TN04.1707.15colour  
081**18 End cap for cross panel**Glass panel  
left/rightindex  
TH03.0409.05colour  
013, 049index  
TH03.0409.05**19 Plate holder**index  
TH03.0387.02colour  
012

**Components for drawers H=140, H=164, H=204**

**Components for drawers H=140**

**Components for drawers H=204**


NL - Nominal runner length

LW - Internal cabinet width

KB - External cabinet width



## Stabiliser for Comfort Box

- compatible with the Comfort Box runner system with soft close and push-open
- side stabilisation for drawers up to 1000 mm

### 1 Comfort Box stabiliser


railing

Length of railing	index	colour
1000	TH03.0429.07	012


### 2 Comfort Box stabiliser

Mounting set

Length of railing	index	colour
450	TH03.0427.08	130
500	TH03.0428.08	130



## Casing Measurements



NL - Nominal runner length


LW - Internal cabinet width

LT - Casing Depth

L1 - Casing height

### Drawers with front

1. LT = NL + 60 mm
2. L1 = 135 mm




### Internal drawers

1. LT = NL + 69 mm
2. L1 = 135 mm


Guide for cut-to-size railing LW-56 mm

## Casing Measurements


1.



2.




3.



### Silicone Bumper „X”



- self-adhesive
- cushions and dampens closing
- transparent colour
- 1 sheet = 50 pcs.



dimensions	index	colour
7 x 1,5	TH02.5331.05	081
10 x 1,5	TH02.5333.05	081

### Soft-close damper




- Left and right included in the set
- Soft close damper instalation instructions for ball-bearing and roller runners, and metal boxes


index	colour
TJ03.9880.05	063

### Installation information


#### Soft-close damper installation for ball-bearing runners (A=12,7 mm)




#### Soft-close damper installation for ball-bearing runners (A=12,7 mm)



#### Soft-close damper installation for roller runners



#### Soft-close damper installation for Metal Boxes



### Assembly template set for Comfort Box / Slim Box / Comfort Slide 3D 40 kg



- large, medium and small template included
- universal - adapted to the Slim Box drawer systems ( $H = 89, 121, 185$  mm), Comfort Box ( $H = 86, 140, 164, 204$  mm) and Comfort Slide 3D runner system
- large template to aid installation of Slim Box, Comfort Box, Comfort Slide 3D 40 kg runner systems
- medium template to aid assembly of Comfort Box and Slim Box systems ( $H = 284$  mm and  $H = 355$  mm)
- small template to aid assembly of Comfort Box and Slim Box systems ( $H = 140$  mm)

index	colour
WH02.2511.01	934

### Assembly template set for Ultra Box / Comfort Slide 3D 30 kg



- large, medium and small template included
- universal - adapted to the Ultra Box drawer systems ( $H = 86, 118, 167, 199$  mm) and Comfort Slide 3D 30 kg runner system
- large template to aid installation of Ultra Box and Comfort Slide 3D 40 kg runner systems
- medium template to aid assembly of Ultra Box systems ( $H = 284$  mm and  $H = 355$  mm)
- small template to aid assembly of Ultra Box systems ( $H = 140$  mm)

index	colour
WH02.2951.01	924

### Flexible siphon housing




- for use in drawers with a depth of  $NL = 270 - 650$
- designed for drawers with a bottom made of 16 mm board
- compatible with high and low drawers from all manufacturers
- made of flexible material, facilitating an easy fit to the drawer can be cut-to-size and adapted for various types of back fixing
- 3 colours to choose from: white, silver and graphite
- additional product information can be found in the *Bathroom* section of the catalogue

index	colour
TH02.8202.05	007, 013, 049


COATING CODE: 007 GRAPHITE 013 WHITE 049 SILVER 924 GRAPHITE 934 BLACK HALF MATT

### Casing Measurements

#### Maxima PURO internal drawer




#### Maxima PURO with automatic extension




## Casing measurements / front and rear wall installation

**H=86**


Front




Rear wall

**H=118**


Front




Rear wall

**H=167**


Front




Rear wall

**H=199**

Front




Rear wall




## Mounting position of the runner to the cabinet

Edge of cabinet



## Base and rear wall measurements




H	Rear wall height
86	LW-87 mm
118	h=86 mm
167	h=118 mm
199	L=NL-24 mm
	Width of drawer bottom
	LW-75 mm

## Cut-to-size front for internal drawers

metal front


square railing




LW-98 LW-85

## Casing Measurements


## Drawer with front





## Internal drawer






NL - Nominal runner length  
 LW - Internal cabinet width  
 KB - External cabinet width  
 A - Drawer base size  
 B - Drawer rear wall size




## Casing measurements / front and rear wall installation



## Mounting position of the runner to the cabinet




## Base and rear wall measurements for 16 mm boards





H	Rear wall height	Rear wall width
89	h=59 mm	LW-42 mm
121	h=91 mm	Length of drawer bottom
185	h=155 mm	L=L-20 mm
249	h=219 mm	Width of drawer bottom
		LW-21 mm

## Cut-to-size front for internal drawers




## Casing Measurements

## Drawer with railing




H	h
89	111 mm
121	143 mm
185	207 mm
249	271 mm

NL - Nominal runner length  
LW - Internal cabinet width  
KB - External cabinet width  
HR - Suspension height of individual railing  
A - Drawer base size  
B - Drawer rear wall size




## Casing measurements / front and rear wall installation


**H=86**

Front

Rear wall




$\varnothing 2 \pm 0.1$   
Wood screws  
M3.5 x 15


**H=140**

Front

Rear wall




$\varnothing 2 \pm 0.1$   
Wood screws  
M3.5 x 15


**H=164**

Front

Rear wall




$\varnothing 2 \pm 0.1$   
Wood screws  
M3.5 x 15

**H=204**


Front

Rear wall





$\varnothing 2 \pm 0.1$   
Wood screws  
M3.5 x 15

## Mounting position of the runner to the cabinet




## Base and rear wall measurements for 16 mm boards



H	Rear wall height	Rear wall width
86	h=70 mm	LW-89 mm
140	h=124 mm	Length of drawer bottom
164	h=148 mm	L=NL-5 mm
204	h=188 mm	Width of drawer bottom

## Cut-to-size front for internal drawers




Round / rectangular railing



## Casing Measurements


Drawer with front




\* Drawer with front  
\*\* Internal drawer

H	h
86	110 mm
140	165 mm
164	185 mm
204	225 mm

NL - Nominal runner length  
LW - Internal cabinet width  
KB - External cabinet width  
A - Drawer base size  
B - Drawer rear wall size





## Casing Measurements / front and rear wall installation

**H=54**

Front

Rear wall


## Mounting position of the runner to the cabinet

**H=86**

Front


Rear wall

## Base and rear wall measurements for 16 mm boards




H	Rear wall height
86	h=54 mm - X mm
140	h=86 mm - X mm
164	h=150 mm - X mm

Rear wall width
LW-31 mm
Length of drawer bottom
L=NL-2 mm
Width of drawer bottom
LW-31 mm


**H=150**

Front

Rear wall



## Casing Measurements



H	h
54	78 mm
86	110 mm
150	174 mm

NL - Nominal runner length

LW - Internal cabinet width

KB - External cabinet width

AV - Runners extention loss

A - Drawer base size

B - Drawer rear wall size

X - Drawer bottom thickness



# RUNNER SYSTEMS

## Roller Runner Basic



### Application



### Packing



### Characteristics




### Runner system components

#### 1 Roller runner Basic

left / right runner



nominal length of runner	index	colour
250	TH03.1032.01	003
300	TH03.1033.01	003
350	TH03.1034.01	003
400	TH03.1035.01	003
450	TH03.1036.01	003
500	TH03.1037.01	003
550	TH03.1038.01	003
600	TH03.1039.01	003



### Additional components

#### 2 Soft close damper\*

left / right



index	colour
TJ03.9880.05	063

\* Damper assembly instructions p. 137  
damper for Metal Box drawers from 350 to 550 mm

#### 3 Reling Metal Box

left / right



nominal length of runner	index	colour
400	TH03.0294.01	003
450	TH03.0295.01	003
500	TH03.0296.01	003

## Ball bearing runner H17



### Application



### Packing



### Characteristics



### Additional information





## Runner system components

### Ball bearing runner H17

nominal length of runner	index	colour
182	TH03.0096.01	062
214	TH03.0097.01	062
246	TH03.0098.01	062
278	TH03.0099.01	062
310	TH03.0100.01	062
342	TH03.0101.01	062


### Runner extension length and loss

nominal length of runner	AV	BV
182	76	106
214	76	138
246	76	167
278	75	202
310	100	210
342	100	245



NL - Nominal runner length  
AV - Runners extention loss  
BV - Actual extension lenght

**Ball bearing runner H45  
without soft-close**



**Application**



**Packing**



**Characteristics**



**Additional information**



**Runner system components**

**Ball bearing runner H45 without soft-close**

runner left / right

nominal length of runner	index	colour
250	TH03.0994.01	062
300	TH03.0995.01	062
350	TH03.0996.01	062
400	TH03.0997.01	062
450	TH03.0998.01	062
500	TH03.0999.01	062
550	TH03.1000.01	062
600	TH03.1001.01	062
650	TH03.1006.01	062
700	TH03.1007.01	062

**Solid Slide  
ball-bearing runner H45  
with soft close**




**Application**



**Packing**



**Characteristics**



**Additional information**




**Runner system components**

**Solid Slide ball-bearing runner H45 with soft close**

runner left / right

nominal length of runner	index	colour
250	TH03.0978.01	062
300	TH03.0979.01	062
350	TH03.0980.01	062
400	TH03.0981.01	062
450	TH03.0982.01	062
500	TH03.0983.01	062
550	TH03.0984.01	062
600	TH03.0985.01	062

**Ball bearing runner H45  
push open**




**Application**



**Packing**



**Characteristics**



**Additional information**



**Runner system components**

**Ball bearing runner H45 push open**

runner left / right

nominal length of runner	index	colour
300	TH03.0987.01	062
350	TH03.0988.01	062
400	TH03.0989.01	062
450	TH03.0990.01	062
500	TH03.0991.01	062

**Comfort Slide 3D  
with soft close 30 kg**




**Application**



**Packing**



**Characteristics**



**Additional information**




**Runner system components**

**1 Comfort Slide 3D full extension with soft close**



runner + 3D clips left / right

nominal length of runner	index	colour
300	TH03.1026.01	062
350	TH03.1027.01	062
400	TH03.1028.01	062
450	TH03.1029.01	062
500	TH03.1030.01	062
550	TH03.1031.01	062



**Comfort Slide Plus 3D**  
with soft-close 40 kg  
with synchronised extension




### Application



### Packing



### Characteristics



### Additional information




### Runner system components

#### 1 Comfort Slide - full extension + soft close

runner + 3D clips left / right




nominal length of runner	index	colour
300	TH03.0652.01	062
350	TH03.0647.01	062
400	TH03.0648.01	062
450	TH03.0649.01	062
500	TH03.0650.01	062
550	TH03.0651.01	062



**Comfort Slide Plus 3D**  
push open 40 kg  
with synchronised extension




### Application



### Packing



### Characteristics



### Additional information




### Runner system components

#### 1 Comfort slide - full extension + push-open


runner + 3D clips left / right




nominal length of runner	index	colour
300	TH03.0762.01	062
350	TH03.0763.01	062
400	TH03.0764.01	062
450	TH03.0765.01	062
500	TH03.0766.01	062
550	TH03.0767.01	062



### Casing Measurements




### Mounting position of the runner to the cabinet



### Base measurements



Length of drawer bottom  
L=NL  
Width of drawer bottom  
LW-25 mm




NL - Nominal runner length

LW - Internal cabinet width





KB - External cabinet width

A - Drawer base size

## Casing Measurements



## Mounting position of the runner to the cabinet




NL - Nominal runner length

LW - Internal cabinet width




SKW - Internal drawer width

SKL - Drawer length

## Casing Measurements



## Mounting position of the runner to the cabinet




NL - Nominal runner length




LW - Internal cabinet width

SKW - Internal drawer width

## Casing Measurements








## Mounting position of the runner to the cabinet



NL - Nominal runner length

LW - Internal cabinet width

SKW - Internal drawer width


**Casing Measurements****Casing Measurements****Mounting position of the runner to the cabinet****Drawer underside**

NL - Nominal runner length


LW - Internal cabinet width

SKW - Internal drawer width


SKL - Drawer length

**Regulation in 3 dimensions**

Height regulation 0~+3 mm




Side regulation ± 1,5 mm




Depth regulation 0~+3 mm



## Casing Measurements



## Casing Measurements



## Mounting position of the runner to the cabinet




NL - Nominal runner length

LW - Internal cabinet width


SKW - Internal drawer width

SKL - Drawer length


## Regulation in 3 dimensions



Height regulation 0~+3 mm




Side regulation ± 1,5 mm




Depth regulation 0~+3 mm




### Casing Measurements



### Casing Measurements



### Mounting position of the runner to the cabinet




NL - Nominal runner length

LW - Internal cabinet width


SKW - Internal drawer width

SKL - Drawer length


### Regulation in 3 dimensions




Height regulation 0~+3 mm



Side regulation ± 1.5 mm



Depth regulation 0~+3 mm



# THE DRESSING ROOM





## Tailor-made solutions

Creating the closet of your dreams has never been so easy. Practical drawers for underwear, pull-out shelves for shoes, hanger systems for dresses, jackets or pants - will keep the perfect order and please the eyes. REJS's solutions allow you to customize your closet and tailor it perfectly to your needs.

Awarded the Diamond of Furniture Industry 2022, **Maxima PURO** accessories have been designed with exceptional attention to detail and finish, making them a true ornament of wardrobe rooms. All systems are available in two variants: white with an insert of transparent glass or black with wood decor in a warm caramel hue. For all, an anti-slip mat is included as standard. Maxima PURO includes also: shoe extensions, as well as internal drawers 5 and 8 cm high and 60, 80 and 90 cm wide, which can accommodate both small items and larger things.

Complementing the drawers are **wardrobe inserts** of various shapes and widths of 10, 20 and 52 cm, which can be arranged in various configurations. They are ideal for storing and displaying jewelry or accessories. They are available in two variants. Those upholstered in white eco leather are lined with soft black velvet, while those upholstered in black eco leather are lined with copper velvet.



**Variant MULTI** closet accessories are lightweight, air-circulating openwork frames and baskets, as well as a dedicated universal REJS running system with a maximum load of 35 kg. The line includes packable pull-out baskets for textiles, as well as shoe drawers and drawers with trouser hangers. The systems are available in 60-, 70-, 80- and 90-cm widths, making it easy to fit them into built-ins. All of them are offered in two colour options: white and black in a fashionable matte finish.

Complementing the offer for the REJS closet are **Simpla** openwork baskets, pantographs lowered on pneumatic lifts and pull-out hangers of various types.



Wardrobe fittings

Internal drawer with decor H=80 NL=480




width	index	colour
600	WE35.0002.01	A18, 331
800	WE35.0003.01	A18, 331
900	WE35.0004.01	A18, 331

COATING CODE: A18 BLACK MAT 331 WHITE MAT



Wardrobe fittings

### Shoe Rack





width	index	colour
600	WE35.0006.01	A18, 331
800	WE35.0007.01	A18, 331
900	WE35.0008.01	A18, 331

COATING CODE: A18 BLACK MAT 331 WHITE MAT



Wardrobe fittings

**Internal drawer H=50 NL=480**






width	index	colour
600	WE35.0009.01	A18, 331
800	WE35.0010.01	A18, 331
900	WE35.0011.01	A18, 331

COATING CODE: A18 BLACK MAT 331 WHITE MAT



Wardrobe fittings

Internal drawer with automatic extension NL=480



width	index	colour
600	WE35.0060.01	A18, 331

COATING CODE: A18 BLACK MAT 331 WHITE MAT


## Wardrobe inserts

- compatible with REJS PURO H=50, Ultra Box and Slim Box (drawer with front and internal drawers) as well as the Blum Legrabox
- 6 models with various applications to choose from, available in widths: 100, 200 and 520 mm
- available in two colour options
  - creamy synthetic leather combined with black velvet
  - black synthetic leather combined with copper velvet
- sold individually
- for self-completion



### Basic Components

**A1** Insert A1 large for jewelry



width	index	colour
520	TE36.9000.46	BN4, BN5

**A2** Insert A2 large for accessories



width	index	colour
520	TE36.9001.46	BN4, BN5

**B1** Insert B1 medium for watches and bracelets



width	index	colour
200	TE36.9002.46	BN4, BN5

**B2** Insert B2 medium for accessories



width	index	colour
200	TE36.9003.46	BN4, BN5

**B3** Insert B3 medium for jewelry




width	index	colour
200	TE36.9004.46	BN4, BN5

**C** Insert C small for accessories




width	index	colour
100	TE36.9005.46	BN4, BN5




**A1 + C + B3 + B1 + B2 + A2**

COATING CODE: BN4 BLACK/ORANGE BN5 WHITE /BLACK

Example configurations of drawer inserts  
according to drawer widths:











Wardrobe fittings

Linen drawer L-480



1 Linen basket 600-900



width	A	index	colour
600	563	WE29.0637.01	061, 331
700	663	WE29.0638.01	061, 331
800	763	WE29.0639.01	061, 331
900	863	WE29.0640.01	061, 331

2 Extension system L-480




index	colour
WE29.0649.01	061, 331

COATING CODE: 061 BLACK MAT 331 WHITE MAT



Wardrobe fittings

#### Drawer for shoes L-480



#### 1 Shoe rack 600-900



width	A	index	colour
600	563	WE29.0641.01	061, 331
700	663	WE29.0642.01	061, 331
800	763	WE29.0643.01	061, 331
900	863	WE29.0644.01	061, 331

#### 2 Extension system L-480







Wardrobe fittings

**Drawer for trousers L-480**

**1 Trouser hanger 600-900**



width	A	index	colour
600	563	WE29.0645.01	061, 331
700	663	WE29.0646.01	061, 331
800	763	WE29.0647.01	061, 331
900	863	WE29.0648.01	061, 331



**2 Extension system L-480**



index	colour
WE29.0649.01	061, 331

COATING CODE: 061 BLACK MAT 331 WHITE MAT



Wardrobe fittings


### Simpla Drawer L-500



### 1 Basket 400-600



width	A	H	index	colour
400	332-348	150	WA03.4965.01	003, 788
		200	WA03.4969.01	003, 788
500	432-448	150	WA03.4966.01	003, 788
		200	WA03.4970.01	003, 788
600	532-548	150	WA03.4967.01	003, 788
		200	WA03.4971.01	003, 788



### 2 Extension system L-500

#### Roller runner



#### Ball bearing runner




index	colour
TH03.1037.01	003

index	colour
WH02.2176.01	062



Wardrobe fittings

**Pull down wardrobe hanger**




width	index	colour
540 - 690	TA01.0029.08	003, 052, 055
690 - 920	TA01.0030.08	003, 052, 055
920 - 1240	TA01.0031.08	003, 052, 055

COATING CODE: 003 WHITE 052 CHROME/BLACK 055 BLACK




Wardrobe fittings

**Trouser hanger set 5 pcs**

index TA01.0060.05	colour 061
-----------------------	---------------




COATING CODE: 061 BLACK

### Pull-out clothes hanger




length	A x X x Y	index	colour
250	220 x 253 x 403	TA01.0005.08	064
300	270 x 303 x 503	TA01.0006.08	064
350	320 x 353 x 589	TA01.0007.08	064
400	380 x 413 x 709	TA01.0008.08	064
450	420 x 453 x 779	TA01.0009.08	064
500	480 x 503 x 890	TA01.0032.08	064

### Pull-out clothes hanger E50



length	A x X x Y	index	colour
250	237 x 282 x 400	TA01.0052.08	052
300	287 x 332 x 500	TA01.0038.08	052
350	337 x 382 x 600	TA01.0039.08	052
400	387 x 432 x 700	TA01.0040.08	052
450	437 x 482 x 800	TA01.0013.08	052
500	437 x 532 x 800	TA01.0010.08	052

### Pull-out clothes hanger E50 with handle




length	A x X x Y	index	colour
250	222 x 250 x 392	TA01.0053.47	052
300	272 x 300 x 492	TA01.0041.47	052
350	320 x 350 x 592	TA01.0042.47	052
400	376 x 400 x 692	TA01.0043.47	052
450	425 x 450 x 792	TA01.0044.47	052
500	475 x 500 x 892	TA01.0045.47	052



Wardrobe fittings


Fixing bracket for drop-down shoe rack



type	index	colour
1 Shelf	TA02.0001.05	013
2 Shelves	TA02.0002.05	013
3 Shelves	TA02.0003.05	013


COATING CODE: 013 WHITE

**Oval wardrobe rail**




length	A x C	index	colour
3000	15 x 30	TA05.0061.01	001

**Oval wardrobe rail end support**




A x C	index	colour
15 x 30	TA05.0039.66	064

**Round wardrobe rail end support Ø25**




index	colour
TA05.0003.66	001

**Adjustable hanging wardrobe rail centre bracket (651)**



index	colour
TL01.1332.14	001

**Adjustable hanging wardrobe rail end bracket (652)**



index	colour
TL01.1333.14	001

COATING CODE: 001 CHROME 064 NICKEL





# BATHROOM

laundry | utility room





## *Functionality and simplicity*

The bathrooms and utility room space must be both functional and friendly. With the help of REJS brand accessories, we can easily organize cabinets and drawers, and at the same time make optimal use of space.

### *In the bathroom*

**Lower Cargo Mini** is perfect for bathrooms. We can easily organise: detergents, cosmetics, towels, as well as small appliances, such as a hair dryer. Lower Cargo is designed for low cabinets with a depth of 30 cm and: 15 to 40 cm wide (bottom running system with front fixing) or 30 to 40 cm wide (bottom running system under the hinge). So it can be used even in narrow, difficult to manage spaces. Full extension will guarantee access to all things at once.

REJS offer also includes laundry baskets. Available in wire and plastic version can be attached to the tilting front of the cabinet, or - pull out. Designed for cabinets 60 cm wide, the innovative REJS drawer with two laundry baskets has been awarded the 2023 Furniture Diamond.

### *In utility rooms*

REJS accessories designed with utility rooms in mind include vacuum cleaner pipe hangers in various sizes, hangers and hooks, as well as an all-in-one solution such as the House Master rack.

Awarded the 2022 Furniture Diamond, the House Master rack works well in the utility closet, pantry, laundry room, as well as in the garage. It is designed to accommodate all the accessories needed for cleaning. Available in right and left versions, it is designed for min. 40 cm wide cabinets. The basic version includes 3 baskets lined with a non-slip mat, a bar for 3 hooks, a hanger for the vacuum cleaner pipe and 3 handle holders.





**BATHROOM**

**Front drawer for Laundry 600 L-480**



**1 Laundry basket 33 l**



NOTE: 2 pieces are required  
to complete the set

index  
2 x TE22.6696.05

colour  
013

**2 Front drawer for laundry - runner system L-480**



index  
WE28.3832.01

colour  
331

**Internal laundry basket 500 L-300**



**1 Laundry basket 33 l**



index  
TE22.6696.05

colour  
013

**2 Internal laundry basket - extension system L-300**



index  
WE28.3933.01

colour  
331

**Tilted front laundry basket 450-500****1 Laundry basket 33 l**index  
TE22.6696.05colour  
013**2 Basket holder**index  
WE14.2149.01colour  
062**3 Swing arm hinge**index  
TJ03.5514.01colour  
062**Door mounted laundry basket****1 Laundry basket 33 l**index  
TE22.6696.05colour  
013**2 Basket holder**index  
WE14.2149.01colour  
062

**Single cargo mini base basket 300-600 L300/450 front mounted**



**1 Single base basket 300-600**



width	index L-300	colour	index L-450	colour
300	WE29.0147.01	003	WE29.0009.01	001, 003, 062, 549, 924
400	WE29.0148.01	003	WE29.0010.01	001, 003, 062, 549, 924
500	WE29.0149.01	003	WE29.0011.01	001, 003, 062, 549, 924
600	WE29.0150.01	003	WE29.0151.01	001, 003, 062, 549, 924

**2 REJS FULL base extension system L300/450 front mounted**



index L-300	colour	index L-450	colour
WE29.0616.01	003	WE29.0014.01	549, 924

**Single cargo mini base basket 300-600 L-300/450 internal**



**1 Single base basket 300-600**



width	index L-300	colour	index L-450	colour
300	WE29.0147.01	003	WE29.0009.01	001, 003, 062, 549, 924
400	WE29.0148.01	003	WE29.0010.01	001, 003, 062, 549, 924
500	WE29.0149.01	003	WE29.0011.01	001, 003, 062, 549, 924
600	WE29.0150.01	003	WE29.0151.01	001, 003, 062, 549, 924

**2 REJS FULL base extension system L300/450 for hinged fronts**



index L-300	colour	index L-450	colour
WE29.0615.01	003	WE29.0128.01	549, 924

**Single cargo mini base basket 400-600 L-300 tilted front****1 Single base basket 400-600**

width	index	colour
400	WE29.0148.01	003
500	WE29.0149.01	003
600	WE29.0150.01	003

**2 Basket holder**

index	colour
WE14.2149.01	062

**3 Swing arm hinge**


index	colour
TJ03.5514.01	062

**Single cargo mini base basket 300-600 L-300 front mounted****1 Single base basket 300-600**

width	index	colour
400	WE29.0148.01	003
500	WE29.0149.01	003
600	WE29.0150.01	003

**2 Basket holder**

index	colour
WE14.2149.01	062

**Wire laundry basket 300-500 for tilted fronts****1 Laundry basket**

width	index	colour
300	WE21.0101.01	003
400	WE21.0102.01	003
500	WE21.0103.01	003

**2 Swing arm hinge**

index	colour
TJ03.5514.01	062



Bathroom, laundry, utility room

Flexible siphon housing




Product characteristics:

- to be used in drawers with a depth of NL=270-650 mm
- designed for drawers with a bottom made from 16 mm board
- compatible with low and tall drawers from all manufacturers
- made from flexible plastic ensuring the cover easily fits the drawer
- can be cut-to-size and adjusted to fit varying types of back wall fittings
- 3 colours to choose from: white, silver and graphite



index  
TH02.8202.05

colour  
007, 013, 049



COATING CODE: 007 GRAPHITE 013 WHITE 049 SILVER


Screw-on basket for detergents



index  
WE19.0266.01

colour  
062


Screw-on towel hanger



index  
WE11.0213.01


colour  
062

Hook WAL 01




index  
TI21.9000.07


colour  
003, 035, 039

**Front drawer for laundry 600 L-480**


- suitable for 16/18mm boards
- maximum load capacity per system 25 kg
- 3D front regulation
- click-on front mounted
- soft close Rejs runner L-480

**Internal laundry basket 500 L-300**


- suitable for 16/18mm boards
- maximum load capacity per system 25 kg
- runner fixing click-on
- construction avoids the hinge protrusion
- soft close Rejs runner L-300

**Tilted front laundry basket 450-500**

- screwed-on to the cabinet front
- fixtures used for mounting the basket are made with anti-corrosion finish


**Door mounted laundry basket**

- lid included
- holes ensure air circulation
- handles make it easier to remove the basket
- high quality plastic

**Single cargo mini base basket 300-600 L300/450 front mounted**


- maximum load capacity 10 kg
- Rejs Full runner L-300 / L-450

cargo type	LW	LT L-300	LT L-450
300	min. 264		
400	min. 364		
500	min. 464	min. 320	min. 460
600	min. 564		

**Single cargo mini base basket 300-600 L-300/450 internal**


- maximum load capacity 10 kg
- Rejs Full runner L-300 / L-450

cargo type	LW	LT L-300	LT L-450
300	min. 264		
400	min. 364		
500	min. 464	min. 320	min. 460
600	min. 564		

**Single cargo mini base basket 300-600 L-300/450 tilted front**


- fixed to cabinet front
- fittings for hanging the basket are coated with an anti-corrosive finish

cargo type	LW
400	min. 360
500	min. 460
600	min. 560

**Single base basket**

cargo type	A
300	230
400	330
500	430
600	530

## Wire laundry basket 300-500 for tilted fronts



cargo type	A	LW
300	233	min. 264
400	333	min. 364
500	433	min. 464

A - basket width

LW - cabinet internal width


LT - internal cabinet depth



# LAUNDRY UTILITY ROOM



### Housekeeping set House Master



#### Product characteristics:

- designed for cabinets with a corpus width of min. 400 mm
- can be fitted in a cabinet with a hinged front or with sliding doors
- quick frame assembly to the runner - click on REJS running system with soft close
- maximum load capacity 20 kg
- easy height adjustment for hanging elements
- additional holders for mops and brushes can be purchased separately (information on page 200)

#### Elements included in the set:

- 1 left or right maxi side frame with guides Rejs L-500
- 2 distancer
- 3 organizational board
- 4 hook x 3
- 5 small basket
- 6 medium basket
- 7 plastic holder for handles x 3
- 8 hanger for the vacuum cleaner pipe
- 9 large basket
- 10 non-slip mats (cut to size each basket)




holes in the frame allow the user to choose the height at which elements are fitted





appropriately contoured hooks can be freely hung on baskets and organizational strip



plastic holders for handles, after even accommodate the vacuum cleaner hose after removing the rubber insert



Note: when installing on the side with hinges, it is necessary to install distances to bypass the hinges (6 pcs included).



fixing side	index	colour
L	WA02.3518.01	924
R	WA02.3519.01	924

**Mini front base cargo 300-600 L-450**



**1 Base basket 300-600**



width	index	colour
300	WE29.0005.01	001, 003, 062, 549, 924
400	WE29.0006.01	001, 003, 062, 549, 924
500	WE29.0007.01	001, 003, 062, 549, 924
600	WE29.0008.01	001, 003, 062, 549, 924

**2 Base extension system REJS FULL for fronts**



index	colour
WE29.0014.01	549, 924

**Internal mini base cargo 300-600 L-450**



**1 Base basket 300-600**



width	index	colour
300	WE29.0005.01	001, 003, 062, 549, 924
400	WE29.0006.01	001, 003, 062, 549, 924
500	WE29.0007.01	001, 003, 062, 549, 924
600	WE29.0008.01	001, 003, 062, 549, 924

**2 Base extension system REJS FULL for hinged fronts**





index	colour
WE29.0128.01	549, 924



Bathroom, laundry, utility room


### Small vacuum hose holder



index  
WA01.0311.01

colour  
062


### Large vacuum hose holder



index  
WA01.0312.01

colour  
062




### Vacuum hose holder with baskets for cleaning products



index  
WA01.0329.01

colour  
062



### Screw-on basket for cleaning products



index  
WE19.0266.01

colour  
062

### Screw-on towel holder



index  
WE11.0213.01

colour  
062

### Stick-on plastic holder for broom/mop handles

#### Product characteristics:

- mops and brushes can be hung anywhere
- transparent self-adhesive surface
- can be fixed on any smooth surface
- diameter up to 35 mm
- vacuum cleaner hose fits, after removing the rubber insert



index  
TT03.2553.00.000



Bathroom, laundry, utility room

### Bin holder




index	colour
WE14.2149.01	062

### Universal containers for PRAKTIKO and JC wastebins



capacity	index	colour
7 l	TE22.1993.05	007, 049
9 l	TE22.1969.05	007, 049
15 l	TE22.1994.05	007, 049
20 l	TE22.1968.05	007, 049

### Container handles PRAKTIKO and JC 7 l / 9 l / 15 l / 20 l



to waste bin	index	colour
7 l / 9 l	TE22.6580.05	007, 044, 046, 047, 089
15 l / 20 l	TE22.6568.05	007, 044, 046, 047, 089

### Lids for PRAKTIKO and JC containers 7 l / 9 l and 15 l / 20 l



to waste bin	index	colour
7 l / 9 l	TE22.5680.05	007, 049
15 l / 20 l	TE22.5668.05	007, 049


### Mini PRAKTIKO wastebin container



index	colour
TE22.1188.05	007, 049



Bathroom, laundry, utility room



# OFFICE





## *Modern work space*

How to create a work space that will promote focus and creative ideas, while allowing you to take care of your health? REJS brand furniture accessories are reliable in this task.

Whether you are talking about furnishing a classic office, a conference room, a laboratory, a home office corner or a child's room, the basis must be a suitable, customized desk. The Futuro electric desk frame proposed by REJS allows you to smoothly adjust the height of the top in the range of 625-1275 mm, thus adapting it to the specifics of the working person and his style of work (sitting or standing). You can lower or raise the tabletop using an easy-to-use control panel. You can also enter 4 favorite positions into the system. The safety of the adjustment is ensured by a special mechanism that will stop the movement when the sensor notices an obstacle.

**FUTURO** is available in three colours: white, black and silver. Thanks to its width, which is adjustable in the range of 1075-1800 mm, it is possible to attach a table top with a maximum size of 100x200 cm. The Futuro frame was awarded the Diamond of Furniture Industry 2022.

Complementing the offer for REJS offices are additional accessories, such as: a stand for the computer central unit, locks and furniture casters. Noteworthy are connectors matching Futuro that allow you to connect desks and separate workstations, as well as grommets and troughs to prevent cables from tangling.



### FUTURO Desk frame with electrical height adjustment

## FUTURO



#### Product characteristics



universal usage



height adjustment  
625-1275 mm



frame width adjustment  
1075-1800 mm



maximum load capacity  
80 kg



height memory  
for upto four  
users



anti-collision  
sensor



built-in USB  
socket



2 motors  
guarantees  
a smooth movement



legs are made  
of 3 columns



power  
110-230V



maximum  
speed:  
40 mm/s






tested to  
60 000  
cycles

#### Control panel



#### Technical information



See how  
FUTURO  
works

index  
TT03.2655.01

colour  
002, 003, 055


COATING CODE: 002 SILVER 003 WHITE 055 BLACK




Office



### FUTURO desk connector



- connects desks to each other
- space to put the panel between the desktops and for separating work stations
- table tops and panels to be cut by the customer




index  
WF01.2201.01

colour  
002, 003, 055

### FUTURO stand for control unit



- stand for built-in computer units
- height adjustment
- board cut by the customer




index  
WF01.2202.01

colour  
002, 003, 055

### FUTURO cable trough



- keep cables under the desktop tidy



index  
WF01.2203.01

colour  
002, 003, 055



### ELEKTRIMA Kwadro rectangular recessed desk power

**ELEKTRIMA**



AC  
220-240 V  
50-60 Hz

MAX  
3600 W



1,5 m

IP20



schuko

french



index	colour	socket type	material
TR19.0003.08	049	3 x schuko	
TR19.0003.08	061		
TR19.0003.08	013		
TR19.0013.08	049	3 x french	metal/plastic
TR19.0013.08	061		
TR19.0013.08	013		

### ELEKTRIMA Kwadro rectangular recessed desk power

**ELEKTRIMA**



AC  
220-240 V  
50-60 Hz

MAX  
3600 W

1,5 m



IP20

USB  
2,1 A

□

schuko

french



index	colour	socket type	material
TR19.0004.08	049	2 x schuko, 2 x USB 2,1 A 5 V	
TR19.0004.08	061		
TR19.0004.08	013		
TR19.0014.08	049	2 x french, 2 x USB 2,1 A 5 V	metal/plastic
TR19.0014.08	061		
TR19.0014.08	013		

COATING CODE: 013 WHITE 049 SILVER 061 BLACK

Office



## Extension leads

REJS



### ELEKTRIMA Tubus retractable pull-out round power

ELEKTRIMA



AC  
220-240 V  
50-60 Hz

**MAX**  
3600 W

1,5 m

IP20

FI 60



schuko

french

index	colour	socket type	material
TR19.0001.08	049		
TR19.0001.08	061	3 x schuko	
TR19.0015.08	049		aluminium/plastic
TR19.0015.08	061	3 x french	

### ELEKTRIMA Tubus retractable pull-out round power

ELEKTRIMA



AC  
220-240 V  
50-60 Hz

**MAX**  
3600 W

1,5 m

IP20

USB  
2,4 A

FI 60

schuko



french

index	colour	socket type	material
TR19.0002.08	049	3 x schuko,	
TR19.0002.08	061	2 x USB 2,4 A 5 V	
TR19.0016.08	049	3 x french,	aluminium/plastic
TR19.0016.08	061	2 x USB 2,4 A 5 V	

COATING CODE: 049 SILVER 061 BLACK

**DOCKER 80x80 mm cable grommet**



NEW



index	colour	material
TF01.1729.07	013, 035, 061	aluminium

**DOCKER 80x160 mm cable grommet**


NEW



index	colour	material
TF01.1728.07	013, 035, 061	aluminium

**DOCKER CIRCLE 60 mm cable grommet**


NEW



index	colour	material
TF01.1727.14	001, 035, 061, 741	ZnAl


**DOCKER CIRCLE 80 mm cable grommet**

NEW



index	colour	material
TF01.1726.07	001, 035, 061, 741	ZnAl


### Cable grommet



Ø	index	colour	material
60	TF01.0406.05	013, 038, 061, 063, 067, 070	
80	TF01.0506.05	013, 061, 063	plastic

### Square key lock Z01

NEW



index	colour
TD02.0187.14	001

### MASTER key for square key lock Z01

NEW




- can be used to open a number of Z01 locks
- for all square key lock with Master option

index
TT02.2807.00.000


### Square central key lock ZC01 600 / 800 mm

NEW



bar length (A)	index	colour
600	TD02.0188.01	001
800	TD02.0189.01	001


Square key lock



index  
TD02.0013.01

colour  
064


Magnetic lock + armature



index  
TD02.0066.08

colour  
013, 037, 061

Sliding cabinet door latch



index  
TD02.0003.01

colour  
064





# HINGES

and flap fittings





## *Durability and peace of mind for years*

Furniture hardware: hinges and lifters, are elements that one usually does not pay much attention to. And yet they are responsible for the comfort of furniture. It depends on their durability and quality whether the opening of the front will remain unnoticed or cause irritation.

The offer of REJS brand hinges includes solutions that allow you to create cabinets of almost any type. We offer the following hinges: overlay hinges, twin hinges, recessed hinges, angle hinges and parallel hinges, as well as hinges with a wide opening angle.

The offer includes **3 groups of solutions** for different tasks and projects. For those looking for durable but economical solutions, the **Basic** group is recommended. For more extensive projects, on the other hand, **Regular** hinges are recommended, which will perform well during standard operation.

Those who require above-average quality should consider hinges from the **Expert** line. They allow for easier installation - thanks to click-on technology, higher functionality and durability (tested according to PN-EN 15570:2010 for 80,000 cycles) and aesthetic qualities. In addition, they are equipped with a silent closing function, thanks to which the fronts close softly and discreetly.

## Overview of the icons used in the catalogue

### Application:

#### Line



#### Type



### Packaging:



Packed in a bag  
by 2 pcs

Bulk packaging  
100 sets

### Characteristics:

#### Cup



Hinge-cup  
fixing



Hinge-cup  
dimensions



Hinge-cup hole  
spacing

#### Guide Type



Guide with  
fixing holes



Guide with  
fixing holes for  
Euro screws



Guide with  
eccentric screw  
fixinings

#### Guide Height



#### Opening Angle



#### Hinge-arm to guide mounting type



Slide-on



Clip-on

#### Regulation



Three dimen-sional regulation



Horizontal front  
regulation



Vertical front  
regulation



Front depth  
regulation

#### Additional features



SOFT  
CLOSE



Silent  
closure



Single-stage  
hinge



Eccentric arm  
regulation

#### Additional information



3D Model



Tested to  
80.000 cycles



Finish




Material

### Standard application

	Full overlay		Ø35 <b>Expert</b>		Ø35 <b>Basic</b>	
	Partial overlay		p. 226-227		Ø35 <b>Regular</b>	
	Inset		p. 236-237		p. 238-239	


### Special Application - wide opening angle

	130° - 165° Regulated opening angle		Ø35 <b>Expert</b>		p. 232-233	
	155° Zero offset		Ø35 <b>Expert</b>		p. 234-235	
	165°		Ø35 <b>Basic</b>		p. 244-245	


### Parallel Application

	Inset 90°		Ø35 <b>Expert</b>		Ø35 <b>Basic</b>	
---	-----------	---	----------------------	--	---------------------	---

### Angled application


	+45°		Ø35 <b>Expert</b>		Ø35 <b>Basic</b>	
---	------	---	----------------------	--	---------------------	---

## Expert hinge



Expert hinges with 35 cup. Aesthetic and functional hinges combined with the SOFT CLOSE function, ensuring gentle and quiet closing of cabinet doors. The eccentric adjustment allows you to set the cabinet door in the right position in one step.


## Mounting of the hinge-arm to the guide.



### CLICK-ON

Simple assembly and disassembly without tools by pressing the hinge arm into the guide.

## Hinge quantities



**!** The number of hinges depends on the height and weight of the cabinet front. Stability ensures the greatest possible distance between the hinges. The data refers to cabinet fronts with a width of 600 mm.

## High quality

- Tested according to standards PN-EN 15570:2010 to 80.000 Cycles

## Aesthetic performance

- Signed with the REJS logo
- Cover plate for hinge-arm and hinge-cup included (except the wide-angle hinge)



Hinges and flap fittings

## Packing

- Packed ones or pairs in printed bags
- Set includes: hinge, guide, coverplates and screws

## Regular hinge

Hinge cup depth 12 mm




Hinge cup for screws  
3,5 x 16



Mounting - system CLICK-ON

Self closing  
SOFT CLOSE



Mounting regulation


Guide with CLICK-ON for  
EURO screws 6,3 x 14

Mounting regulation

Guide with CLICK-ON for  
screws 3,5 x 16

Regular hinges with a cup Ø35. Aesthetic and functional hinges with SOFT CLOSE, ensuring gentle and silent closing of cabinet doors.


## Mounting of the hinge-arm to the guide.



CLICK-ON

Simple assembly and disassembly without tools by pressing the hinge arm into the guide.

## Hinge quantities



Packaging: Hinges packed in plastic bags, in 1 pc.




The number of hinges depends on the height and weight of the cabinet front. Stability ensures the greatest possible distance between the hinges. The data refers to cabinet fronts with a width of 600 mm.

## Basic hinge


Hinge cup depth 12 mm

Mounting - system SLIDE ON

Self-closing

Hinge cup for screws  
3,5 x 16

Mounting regulation


Guide with SLIDE ON for  
EURO screws 6,3 x 13

Mounting regulation

Guide with SLIDE ON  
for 3,5 x 16 screws

Classic hinges with cup 35. Combine reliable operation with classic design.


### Mounting of the hinge-arm to the guide.



SLIDE ON

simple assembly by inserting the arm  
the hinge-arm over the guide bolt

### Hinge quantities



Packaging: hinges sold loose




The number of hinges depends on the height and weight of the cabinet front. Stability ensures the greatest possible distance between the hinges. The data refers to cabinet fronts with a width of 600 mm.

### Application



### Characteristics



### Packing



### Additional information




### Hinge components


	Mounting regulation			Excentric regulation					
	screw EURO 6,3 x 14	screw 3,5 x 16	screw 3,5 x 16						
<b>Overlay 110 crank 0</b>	index	index	index	packing	H		screw EURO 6,3 x 14	screw 3,5 x 16	
	-	TJ01.7101.01.064	-	2 x	0		-	6	
	-	-	TJ09.0015.01.064	1 x	0		-	4	
	TJ01.7166.01.064	-	-	2 x	0		2	4	
<b>Partial overlay</b>	index	index	index		H		screw EURO 6,3 x 14	screw 3,5 x 16	
	-	TJ01.8102.01.064	-	2 x	0		-	6	
	-	-	TJ09.0016.01.064	1 x	0		-	4	
	TJ01.7187.01.064	-	-	2 x	0		2	4	
<b>Inset</b>	index	index	index		H		screw EURO 6,3 x 14	screw 3,5 x 16	
	-	TJ01.8204.01.064	-	2 x	0		-	6	
	-	-	TJ09.0017.01.064	1 x	0		-	4	
	TJ01.7177.01.064	-	-	2 x	0		2	4	

COATING CODE: 064 NICKEL


## Cabinet Door Positioning



$$H = 11 + K - D$$



$$H = 1,5 + K - D$$




$$H = -7 + K + F$$

\*\* move back the guide according to the thickness of the cabinet door

	$K =$	3	4	5	6
$H = 0$	$D =$	14	15	16	17



	$K =$	3	4	5	6
$H = 0$	$D =$	4,5	5,5	6,5	7,5

	$K =$	3	4	5	6
$H = 0$	$F =$	4	3	1	1



A	$25 + H$	$30 + H$	$38,5 + H$
B	$8,5 + H$	$18 + H$	$26,5 + H$

## Cup installation and hinge guide measurements



\* hole diameter depends on the type of screw



## Adjustment



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm


## Legend

- D - Cabinet Door Positioning
- K - Cup positioning
- F - Reveal
- T - Thickness of the cabinet door
- H - Height of the guide
- A - Crank Height
- B - Overlap

### Application



### Characteristics



### Packing



### Additional information




### Hinge components

	Mounting regulation			Excentric regulation			Number of screws per hinge
	screw EURO 6,3 x 14	screw 3,5 x 16	screw 3,5 x 16				
<b>Partial overlay +45° I</b>	index	-	-	index	H	screw EURO 6,3 x 14	screw 3,5 x 16
	TJ01.2806.01.064	-	-	TJ01.2808.01.064	0	2	2
	-	-	TJ01.2805.01.064	-	0	-	4
	-	-	-	-	0	-	6




COATING CODE: 064 NICKEL

## Cabinet Door Positioning




## Cup installation and hinge guide measurements



## Regulation



-2 / +2 mm



-2 / +2 mm




-1 / +3 mm

### Application



### Characteristics



### Packing



### Additional information




### Hinge components

	Mounting regulation			Excentric regulation			Number of screws per hinge
	screw EURO 6,3 x 14	screw 3,5 x 16	screw 3,5 x 16				
<b>Inset 90°</b>	index	-	-	index	H	screw EURO 6,3 x 14	screw 3,5 x 16
	TJ01.3009.01.064	-	-	TJ01.3014.01.064	0	4	2
	-	-	-	TJ01.3010.01.064	0	-	4
	-	-	-	-	0	-	6




COATING CODE: 064 NICKEL

### Cabinet Door Positioning



H=0 D=0

### Cup installation and hinge guide measurements



\* hole diameter depends on the type of screw



### Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

### Legend

D - Cabinet Door Positioning  
K - Cup positioning  
T - Thickness of the cabinet door  
H - Height of the guide

**Application****Characteristics****Packing****Additional information****Hinge components**


Overlay 130° - 165°	Excentric regulation		Number of screws per hinge
	screw	3,5 x 16	
	index		H
	TJ01.7129.01.064		0
	TJ01.7115.01.064		2
		screw EURO 6,3 x 14	screw 3,5 x 16
		-	4
		-	4



COATING CODE: 064 NICKEL


## Cabinet Door Positioning / overlay hinge 130° - 165°

## Opening angle regulation




$$H=13+K-D$$

	K=	3	4	5	6	7
H=0	D=	14	15	16	17	18
H=2	D=	12	13	14	15	16
H=4	D=	10	11	12	13	14



130° - 165°

## Cup installation and hinge guide measurements



## Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

## Legend

D - Cabinet Door Positioning  
 K - Cup positioning  
 T - Thickness of the cabinet door  
 H - Height of the guide

### Application



### Characteristics



### Packing




### Additional information




### Hinge components

	Excentric regulation		Number of screws per hinge
	screw 3,5 x 16		
<b>Overlay 155°</b>		index	H
		TJ01.7111.01.064	-
		TJ01.7119.01.064	4
			2
			4

## Cabinet Door Positioning



## Cup installation and hinge guide measurements



## Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

## Legend

D - Cabinet Door Positioning  
 K - Cup positioning  
 T - Thickness of the cabinet door  
 H - Height of the guide

### Application



### Characteristics



### Packing



### Additional information




### Hinge components


	Mounting regulation		Number of screws per hinge
	screw EURO 6,3 x 14	screw 3,5 x 16	
<b>Overlay 110° crank 0°</b>	index	index	H
	-	TJ01.5401.01.064	0
	-	TJ01.6986.01.064*	0
	TJ01.6966.01.064*	-	0
<b>Partial overlay 110° crank 8°</b>	index	index	H
	-	TJ01.5402.01.064	0
	TJ01.6987.01.064*	-	0
	-	TJ01.6902.01.064*	0
<b>Inset 110° crank 15°</b>	index	index	H
	-	TJ01.6804.01.064	0
	-	TJ01.6988.01.064*	0
	TJ01.6977.01.064*	-	0
			2
			2

\* - indexes marked with \* apply to products packed loose in a cardboard box of 100 pcs


## Cabinet Door Positioning



$$H=11+K-D$$



$$H=1,5+K-D$$




$$H=-7+K+F$$

\*\* move back the guide according to the thickness of the cabinet door

	K=	3	4	5	6
H=0	D=	14	15	16	17



	K=	3	4	5	6
H=0	D=	4,5	5,5	6,5	7,5

	K=	3	4	5	6
H=0	F=	4	3	1	1



A			
	A 25 + H	30 + H	38,5 + H
B	8,5 + H	18 + H	26,5 + H

## Cup installation and hinge guide measurements



\* hole diameter depends on the type of screw



## Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

## Legend

- D - Cabinet Door Positioning
- K - Cup positioning
- F - Reveal
- T - Thickness of the cabinet door
- H - Height of the guide
- A - Crank Height
- B - Overlap

### Application



### Characteristics



### Packing



### Additional information




### Hinge components

	Mounting Regulation		Number of screws per hinge
	screw EURO 6,3 x 13	screw 3,5 x 16	
<b>Overlay 110° crank 0°</b>	index	index	H
	-	TJ09.0013.01.064	0
	TJ09.0014.01.064	-	0 2
without spring	-	TJ01.8993.01.064	0 - -
<b>Partial overlay 110° crank 8°</b>	index	index	H
	-	TJ09.0011.01.064	0 - -
	TJ09.0012.01.064	-	0 2 -
	TJ01.8903.01.064	-	2 2 -
<b>Inset 110° crank 15°</b>	index	index	H
	-	TJ09.0009.01.064	0 - -
	TJ09.0010.01.064	-	0 2 -
	TJ01.8904.01.064	-	0 2 -
	-	TJ01.5904.01.064	0 - -
	TJ01.5804.01.064	-	2 2 -

COATING CODE: 064 NICKEL

## Cabinet Door Positioning




Use the formulas to determine the position of the cup (H).

Overlay cabinet doors:  $H = 14 + K - D$

Partial overlay cabinet doors:  $H = 5 + K - D$

Front Inset:  $H = -2 + K + F$

## Cup installation and hinge guide measurements



## Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

## Legend

D - Cabinet Door Positioning  
 K - Cup positioning  
 F - Reveal  
 T - Thickness of the cabinet door  
 H - Height of the guide

### Application




### Characteristics



### Packing




### Additional information




### Hinge components

Partial overlay +45° I	Mounting Regulation		Number of screws per hinge
	screw EURO 6,3 x 13	screw 3,5 x 16	
	index	index	
	-	TJ01.9708.01.064	2
	TJ01.5808.01.064	-	2
			2

## Cabinet Door Positioning / +45° I angle partial overlay hinge



## Cup installation and hinge guide measurements



\* hole diameter depends on the type of screw



## Regulation



-2 / +2 mm



-2 / +2 mm



-1 / +3 mm

## Legend

KB - Width of the cabinet door  
 LW - Inner corpus width  
 D - Cabinet Door Positioning  
 K - Cup positioning  
 T - Thickness of the cabinet door  
 H - Height of the guide

Application



Characteristics



Packing





Additional information



Hinge components


		Mounting Regulation				
		screw EURO 6,3 x 13	screw 3,5 x 16			
Inset 90°	index	TJ01.5809.01.064	-	Number of screws per hinge		
				2	2	-
			TJ01.9709.01.064	2	-	-

## Cabinet Door Positioning



K=5	
H=0	D=4
H=2	D=2
H=4	D=0

## Cup installation and hinge guide measurements



## Regulation



-2 / +2 mm




-2 / +2 mm



-1 / +3 mm




## Legend

D - Cabinet Door Positioning  
 K - Cup positioning  
 T - Thickness of the cabinet door  
 H - Height of the guide

**Application****Characteristics****Packing****Additional information****Overlay 165°****Hinge components**

	Mounting Regulation		Number of screws per hinge
	screw EURO 6,3 x 13	screw 3,5 x 16	
	index	index	
<b>Overlay 165°</b>		TJ01.9711.01.064	H 2
	TJ01.5811.01.064		screw EURO 6,3 x 13 - 2
			screw 3,5 x 16 - -



## Cabinet Door Positioning



Use the formulas to determine the position of the cup (K) and the height of the guide (H)

$$H = 14 + K - D$$

## Cup installation and hinge guide measurements



## Regulation



-2 / +2 mm



-2 / +2 mm




-1 / +3 mm


## Legend

D - Cabinet Door Positioning  
 K - Cup positioning  
 T - Thickness of the cabinet door  
 H - Height of the guide

### Damper AIRTIC PROFESSIONAL




Dedicated to the Basic hinge range




	index	index	colour
1 Damper	TJ03.1952.05		013, 063
2 Adapter for damper	TJ03.6553.05		013, 063

### CLICK-ON with a straight plastic adapter and a silicone tip




index	colour
TH02.9497.05	013, 049

### CLICK-ON with a straight plastic adapter and a magnetic tip



index	colour
TH02.9496.05	013, 049

### CLICK-ON with a metal adapter and long silicone tip




index	colour
TH02.9401.08	054

COATING CODE: 013 WHITE 049 SILVER 054 BRUSHED STEEL 063 GREY



 Flap lifts - general information

Flap fixings




Selection of lifts for cabinet front sizes

Front height H/W (mm)	Width of the cabinet door				
	max 450	460-600	600-900	900-1200	
300	1 x 60N	1 x 80N	2 x 60N	2 x 80N	
350	1 x 80N	2 x 50N	2 x 80N	2 x 100N	
400	2 x 50N	2 x 60N	2 x 100N	2 x 120N	
450	2 x 60N	2 x 80N	2 x 120N	-	
500	2 x 80N	2 x 100N	-	-	
550	2 x 80N	2 x 120N	-	-	
600	2 x 100N	2 x 120N	-	-	
650	2 x 120N	-	-	-	

### Pneumatic gas stay lift with shock damper



- fixing for wooden fronts
- gas lift for swing fronts
- cabinet door opening angle regulation 75°, 90° or 105°
- possible to precisely set the point of shock absorption



T - Cabinet door positioning  
 $x = T + 13 \text{ mm}$   
 $y = T + D$




Door opening angle	W	D	H
75°	290	63	315
90°	270	51	300
105°	250	39	285

N force	index	colour
60	TJ03.9015.08	049
80	TJ03.9003.08	049
100	TJ03.9001.08	049

### Pneumatic gas stay lift L=156



- fixing for wooden fronts
- fixing for aluminium fronts sold separately (p. 249)
- gas lift for swing fronts
- flat base for screw fixing - with pin
- for flap doors
- packed individually





N force	index	colour
50	TJ03.0550.08	049
60	TJ03.0560.08	049
80	TJ03.0563.08	049

### Pneumatic gas stay lift



- fixing for wooden fronts
- fixing for aluminium fronts sold separately (p. 249)
- gas lift for swing fronts
- flat base for screw fixing - with pin
- for flap doors
- packed individually




N force	index	colour
50	TJ03.0519.08	049
60	TJ03.0515.08	049
80	TJ03.0503.08	049
100	TJ03.0501.08	049
120	TJ03.0502.08	049

### Pneumatic gas stay lift KONTRA



- fixing for wooden fronts
- fixing for aluminium fronts sold separately (p. 249)
- gas lift for drop down cabinet doors
- flat base for screw fixing - with pin
- for flap doors
- packed individually




N force	index	colour
60	TJ03.0577.08	049
80	TJ03.0566.08	049

### Vertical swing lift



- fixing for wooden fronts
- to the drop down cabinet fronts
- material - steel
- 1 item in a package



index	colour
TJ03.5514.01	062

### Fixing for aluminium fronts



index	colour
TJ03.0596.01	064



# HANDLES AND FURNITURE KNOBS

hooks | aluminium frames





## *Finishing at the highest level*


Beauty is in the details, which is why REJS' offer could not lack elements for finishing furniture. The brand's assortment includes a wide range of furniture handles, as well as aluminum profiles and the increasingly popular glass.

The range of REJS handles includes minimalist models, as well as artful and fine, subtly rounded or strictly geometric ones. Some delight with innovative form, others with classic, timeless lines. Among them you can find edge and recessed handles, as well as railing, screw-on and knob handles. And on top of that, almost every one comes in several sizes and colours.

Also noteworthy are aluminum profiles with different surface finishes. They are used to create cabinet fronts - those opened classically and the tilting ones. They also work well as drawer fronts, especially those wide and high. As a filling of fronts made of aluminum profiles, REJS offers a wide range of single-colour, satin, three-dimensional glass, as well as with imprints of any graphics. The service of cutting formats for any purpose is also a considerable convenience.

Screwed furniture handles

**EASY** p. 257



**STILO** p. 258



**TYTANO** p. 259



**ASTER** p. 260



**MAGNA** p. 261



**LINEA** p. 262



**ARTESI** p. 263



**RELING** p. 264



Furniture knobs

**ARTESI** p. 267



**VITO** p. 268



**NIRO** p. 269



Adged furniture handles

**AL 9** p. 271



**AL 13** p. 272



**FE6** p. 273



**FE2** p. 274



**FE3** p. 275



Furniture Hooks

**SINGO** p. 279



**ARGO** p. 280



**ORIS** p. 281



**SORIA L** p. 282



**SORIA L DOUBLE** p. 283



**SORIA M** p. 284



**SORIA S** p. 285



**SORIA S DOUBLE** p. 286




**WAL 01** p. 287



## Icons indication

material



packaging









**Furniture handle EASY**



Available colours:




A x B	packaging (pcs.)	index (1pcs)	colour
96 x 130	25	TI22.0001.14	001, 003, 054, 055, 529, 924, BW7
128 x 161		TI22.0002.14	001, 003, 054, 055, 529, 924, BW7
160 x 192		TI22.0003.14	001, 003, 054, 055, 529, 924, BW7
192 x 225		TI22.0004.14	001, 003, 054, 055, 529, 924, BW7
256 x 290		TI22.0005.14	001, 003, 054, 055, 529, 924, BW7
320 x 354		TI22.0006.14	001, 003, 054, 055, 529, 924, BW7

COATING CODES: 001 CHROME 003 WHITE 054 BRUSHED STEEL 055 BLACK 529 ALUMINIUM 924 GRAPHITE BW7 BRUSHED GOLD

Furniture handle STILO



Decorative elements



Available colours:



A x B	packaging (pcs.)	index (1pcs)	colour
160 x 185	25	TI22.0007.14	001, 003, 054, 055, 529, 892, BW7
256 x 281		TI22.0008.14	001, 003, 054, 055, 529, 892, BW7



COATING CODES: 001 CHROME 003 WHITE 054 BRUSHED STEEL 055 BLACK 529 ALUMINIUM 892 TITAN BW7 BRUSHED GOLD

**Furniture handle TYTANO**



Available colours:



001



054




055



924



BW7



A x B	packaging (pcs.)	index (1pcs)	colour
128 x 141		TI22.0012.14	001, 054, 055, 924, BW7
160 x 173		TI22.0013.14	001, 054, 055, 924, BW7
192 x 205		TI22.0014.14	001, 054, 055, 924, BW7
256 x 269		TI22.0015.14	001, 054, 055, 924, BW7
320 x 333		TI22.0016.14	001, 054, 055, 924, BW7


COATING CODES: 001 CHROME 054 BRUSHED STEEL 055 BLACK 924 GRAPHITE BW7 BRUSHED GOLD




Furniture handle ASTER



Decorative elements




Available colours:



A x B	packaging (pcs.)	index (1pcs)	colour
96 x 162		TI22.0022.14	001, 054, 055, 892, 924, BW7
128 x 194		TI22.0023.14	001, 054, 055, 892, 924, BW7
160 x 226		TI22.0024.14	001, 054, 055, 892, 924, BW7
192 x 258	25	TI22.0025.14	001, 054, 055, 892, 924, BW7

COATING CODES: 001 CHROME 054 BRUSHED STEEL 055 BLACK 892 TITAN 924 GRAPHITE BW7 BRUSHED GOLD

Furniture handle MAGNA



Available colours:

001



006



008



054




331



529



715



A x B	packaging (pcs.)	index (1pcs)	colour
96 x 128	25	TI22.0034.14	001, 006, 008, 054, 331, 529, 715
128 x 157		TI22.0035.14	001, 006, 008, 054, 331, 529, 715




COATING CODES: 001 CHROME 006 BRASS 008 COPPER 054 BRUSHED STEEL 331 WHITE 529 ALUMINIUM 715 BLACK MATTE

Furniture handle LINEA



Decorative elements



Available colours:

001



055



253



668



892



A x B	packaging (pcs.)	index (1pcs)	colour
96 x 109		TI22.0009.14	001, 055, 253, 892
128 x 141	25	TI22.0010.14	001, 055, 668, 892
160 x 205		TI22.0011.14	001, 055, 668, 892

COATING CODES: 001 CHROME 055 BLACK 253 GOLD 668 ZNAL ZŁOTY 892 TITAN



25 pcs

**Furniture handles ARTESI**




Available colours:

055



BW7



ATT: Knob for set on p. 265



A x B	packaging (pcs.)	index (1pcs)	colour
96 x 112		TI22.0017.14	055, BW7
128 x 144	25	TI22.0018.14	055, BW7
galka		TI22.0019.14	055, BW7


COATING CODES: 055 BLACK BW7 BRUSHED GOLD




**Furniture handle RELING**



Decorative elements



**Available colours:**



A-length between holes for fixing the handle  
B-width of handle

A x B	packaging (pcs.)	index (1pcs)	colour
96 x 156		TI01.3605.01	A18, 001, 004, 005, 083
128 x 188		TI01.3606.01	A18, 001, 004, 005, 083
160 x 220		TI01.3607.01	A18, 001, 004, 005, 083
192 x 272		TI01.3608.01	A18, 001, 004, 005, 083
224 x 304		TI01.3615.01	A18, 001, 004, 005, 083
256 x 356		TI01.3609.01	A18, 001, 004, 005, 083
288 x 368		TI01.3612.01	A18, 001, 004, 005, 083
320 x 400		TI01.3616.01	A18, 001, 004, 005, 083
	25		

COATING CODES: A18 BLACK MATTE 001 CHROME 004 CHROME SATIN 005 NICKEL SATIN 083 BRUSHED NICKEL





Furniture knob ARTESI



Available colours:



055



BW7




ATT: Handles for set on p.261



packaging (pcs.)	index (1pcs)	colour
25	TI22.0019.14	055, BW7

COATING CODES: 055 BLACK BW7 BRUSHED GOLD

Furniture knob VITO



Available colours:



001



006



008



054





331



529



715



packaging (pcs.)	index (1pcs)	colour
25	TI22.0029.51	001, 006, 008, 054, 331, 529, 715



COATING CODES: 001 CHROME 006 BRASS 008 COPPER 054 BRUSHED STEEL 331 WHITE MATTE 529 ALUMINIUM 715 BLACK MATTE

Furniture knob NIRO



Available colours:

001



006



008



054





331



529



715



packaging (pcs.)	index (1pcs)	colour
25	T122.0030.14	001, 006, 008, 054, 331, 529, 715



COATING CODES: 001 CHROME 006 BRASS 008 COPPER 054 BRUSHED STEEL 331 WHITE 529 ALUMINIUM 715 BLACK



### Furniture handle AL9



Available colours:



003




035



043



055



A x B	packaging (pcs.)	index (1pcs)	colour
32 x 52		TI21.1445.07	003, 035, 043, 055
96 x 116		TI21.1446.07	003, 035, 043, 055
128 x 148		TI21.1447.07	003, 035, 043, 055
192 x 212		TI21.1448.07	003, 035, 043, 055
	20		

COATING CODES: 003 LACQUER WHITE 035 NATURAL C-0 043 LACQUER GRAPHITE 055 LACQUER BLACK



**Furniture handle AL13**



Decorative elements



Available colours:

003





035



043




055



A x B	packaging (pcs.)	index (1pcs)	colour
32 x 52		TI21.1449.07	003, 035, 043, 055
96 x 116		TI21.1450.07	003, 035, 043, 055
128 x 148		TI21.1451.07	003, 035, 043, 055
192 x 212		TI21.1452.07	003, 035, 043, 055
320 x 340		TI21.1551.07	003, 035, 043, 055
320 x 400	30	TI21.1550.07	043, 055

COATING CODES: 003 LACQUER WHITE 035 NATURAL C-0 043 LACQUER GRAPHITE 055 LACQUER BLACK

**Furniture handle FE6**



Available colours:





035



689



843



L	packaging (pcs.)	index (1pcs)	colour
3010	16	T110.1200.07	035, 689, 843




COATING CODES: 035 NATURAL C-0 689 BLACK MATTE 843 BRUSHED ALUMINIUM

Furniture handle profile FE2



Decorative elements



Available colours:

035



689



843



L	packaging (pcs.)	index (1pcs)	colour
3010	10	TI10.1198.07	035, 689, 843

COATING CODES: 035 NATURAL C-0 689 BLACK MAT 843 BRUSHED ALUMINIUM



Furniture handle profile FE3



Available colours:


035



689



843




L	packaging (pcs.)	index (1pcs)	colour
3010	10	TI10.1199.07	035, 689, 843




COATING CODES: 035 NATURAL C-0 689 BLACK MAT 843 BRUSHED ALUMINIUM

**Assembly template for handles and furniture knobs**


Decorative elements



- Allows precise drilling of holes for handles and knobs on furniture fronts
- Adapted for spot-mounted handles
- and with hole spacing from 32 mm to 320 mm (pitch every 32 mm)
- Horizontal markers indicate hole spacing of the mounted handle
- vertical marks define the distance of the handle from the top edge of the front panel




index	colour
WH02.2704.01	062

COATING CODES: 062 ZINC

A woman with long blonde hair, wearing a brown dress with white polka dots, stands in profile facing right. She is looking up at a row of hats hanging on a light-colored wall. To her left is a large, ornate gold-framed mirror. The hats are arranged vertically: a tan beret, a black bowler hat, a dark green velvet cap, and a black wide-brimmed hat.

**FURNITURE HOOKS  
AND HANGERS**






Decorative elements



Available colours:



packaging (pcs.)	index (1pcs)	colour
20	T12.0028.14	055, 188, 424, 956

Screws in hangers colours in set.

COATING CODES: 055 BLACK 188 COPPER 424 SILVER 956 BRASS



Hook ARGO



Decorative elements

Available colours:



055




424



892



956



Screws in hooks colours in set.

packaging (pcs.)	index (1pcs)	colour
20	T122.0026.14	055, 424, 892, 956

COATING CODES: 055 BLACK 424 SILVER 892 TITAN 956 BRASS



**Hook ORIS**



Available colours:



055




188



424



956



Screws in hooks colours in set.

packaging (pos.)	index (1pcs)	colour
20	TI22.0027.14	055, 188, 424, 956

COATING CODES: 055 BLACK 188 COPPER 424 SILVER 956 BRASS



Hook SORIA L



Decorative elements

Available colours:



001




035

054

331

715



Screws in hooks colours in set.

packaging (pcs.)	index (1pcs)	colour
25	T122.0033.07	001, 035, 054, 331, 715

COATING CODES: 001 CHROME 035 NATURAL C-0 054 BRUSHED STEEL 331 WHITE 715 BLACK



**Double hanger SORIA L**



Decorative elements



Available colours:

001



003




054



055



529



Screws in hooks colours in set.

packaging (pcs.)	index (1pcs)	colour
25	TI22.0040.14	001, 003, 054, 055, 529

COATING CODES: 001 CHROME 003 WHITE 054 BRUSHED STEEL 055 BLACK 529 ALUMINIUM



Hook SORIA M



Available colours:




001

035

331

715




Screws in hooks colours in set.

packaging (pcs.)	index (1pcs)	colour
25	T122.0032.07	001, 035, 331, 715

COATING CODES: 001 CHROME 035 NATURAL C-0 331 WHITE 715 BLACK





Decorative elements

Available colours:



001




331



529



715



Screws in hooks colours in set.

packaging (pcs.)	index (1pcs)	colour
25	TI22.0031.14	001, 331, 529, 715



COATING CODES: 001 CHROME 331 WHITE 529 ALUMINIUM 715 BLACK

Double hanger SORIA S



Available colours:




003



055



529




Screws in hooks colours in set.

packaging (pcs.)	index (1pcs)	colour
25	T122.0039.14	003, 055, 529



COATING CODES: 003 WHITE 055 BLACK 529 ALUMINIUM

Hook WAL 01



Available colours:




003



035



039



packaging (pcs.)	index (1pcs)	colour
10	TI21.9000.07	003, 035, 039

COATING CODES: 003 LACQUER WHITE 035 NATURAL C-0 039 BLACK MATTE









**ALUMINIUM PROFILES AND FRAMES**



**Profile to frame R1**



**Connecting profile for frame R1**





Profile to frame R4




index TG05.0128.07	colour 035, 039
-----------------------	--------------------

Connecting profile for frame R4




index TG05.0205.07	colour 035, 039
-----------------------	--------------------

Profile to frame R11



Profile to frame R12







# LED LIGHTING





## *New forms of lighting*

Modern lighting systems are not only functional, but also decorative. Luminaires, strips and tapes are meant not only to illuminate, but also to decorate furniture and interiors. And this is exactly what the systems offered by REJS do.

The basis of our lighting offer are profiles and energy-saving LED strips, which can be installed both in wall and ceiling cladding, as well as in built-ins and stand-alone furniture. Depending on your needs, the tapes can emit bright or cosily dimmed, warm, neutral and cold light. We offer them in 4 variants, in basic length of 5 m, and the 2835 variant - also 50 m, which allows you to create even bold and large light installations.

LED strips are complemented by accessories: connectors and easy-to-install power supplies. MASTER power supplies are available in 8 variants (7, 12, 16, 24, 33, 54, 65, 80W), the easy-to-hide MASTER SLIM in 4 (15, 24, 36 and 60W), and the socket power supply in a 6W version. All are powered from a standard 230V mains.

The offer closes with a range of functional switches for various applications allowing remote control and light intensity adjustment.

	warm colour		wire length with plug
	neutral colour		input voltage
	cold colour		output voltage
	type of diode		supply voltage
	luminous flux per meter		level of protection
	diode quantities per 5 meters		possible electrical load (W)
	device power		protection standard I
	strip width		protection standard II
	length of the strip segment		protection standard III
	length		scope for work temperature
	cable length		diameter
	LED strip with cable on both sides		plug type (schuko)
	dimmable push switch		plug type (french)
	dimmable touch switch		quantities in box
	monopolar mode (door switch)		max socket load on USB
	bipolar mode (standard switch)		




**LED STRIPS**

**SHINE LED STRIP 2835, 600 led, 10 mm**

**SHINE**



- WARM 3200K
  - NEUTRAL 4000K
  - COLD 6500K
- 168      928      184



- DC 12V
- 60 W
- ~1600 lm/m
- 2835
- 600 x
- 10 mm
- 25 mm
- 5 m
- 15 cm
- IP20
- III
- F class


index	colour
TR20.0002.00	168, 184, 928

**SHINE LED STRIP 2835, 300 led, 8 mm**

**SHINE**



- WARM 3200K
  - NEUTRAL 4000K
  - COLD 6500K
- 168      928      184



- DC 12V
- 33 W
- ~750 lm/m
- 2835
- 300 x
- 8 mm
- 50 mm
- 5 m
- 15 cm
- IP20
- III
- F class


index	colour
TR20.0001.00	168, 184, 928

**SHINE LED STRIP 2835, 300 led, 8 mm, 50 m**

**SHINE**



- WARM 3200K
  - NEUTRAL 4000K
  - COLD 6500K
- 168      928      184



- DC 12V
- 33 W
- ~750 lm/m
- 2835
- 300 x
- 8 mm
- 50 mm
- 50 m
- 15 cm
- IP20
- III
- F class


index	colour
TR20.0014.00	168, 184, 928

### SHINE LED STRIP 2835, 600 led, 5 mm

**SHINE**



- |     |     |     |
|-----|-----|-----|
|     |     |     |
| 168 | 928 | 184 |



- |  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|  |  |  |  |  |  |


index	colour
TR20.0003.00	168, 184, 928

### SHINE LED STRIP COB

**SHINE**



- |     |     |     |
|-----|-----|-----|
|     |     |     |
| 168 | 928 | 184 |



- |  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|  |  |  |  |  |  |

index	colour
TR20.0004.00	168, 184, 928



**Connector for led strips 8 mm without wire**



DC  
12–24 V    36 W    ■↑8 mm    III    50 szt./op.

index  
TR20.0034.05.013

**Connector for led strips 8 mm with wire 2 meters**



DC  
12–24 V    36 W    ■↑8 mm    III    50 szt./op.

index  
TR20.0035.05.013

**Connector for led strips 10 mm without wire**



DC  
12–24 V    36 W    ■↑10 mm    III    50 szt./op.

index  
TR20.0036.05.013

**Connector for led strips 10 mm with wire 2 meters**



DC  
12–24 V    36 W    ■↑10 mm    III    50 szt./op.

index  
TR20.0037.05.013

**Connector mini for led strips 8 mm without wire**



DC  
12–24 V    36 W    ■↑8 mm    III    50 szt./op.

possibility to use MINI connectors inside recessed and corner profiles

index  
TR20.0038.05.013

**Connector mini for led strips 8 mm with wire 2 meters**



DC  
12–24 V    36 W    ■↑8 mm    III    50 szt./op.


index  
TR20.0039.05.013



**LED PROFILES**

### LUMI topical led profile

LUMI




ATT: End cups and shade are sold separate.

length	profile index	Index of end cup
2 m	TG05.0805.07.035	TR19.0005.05.049 (1 set=100 pcs)
3 m	TG05.0806.07.035	
2 m	TG05.0805.07.855	TR19.0008.05.013 (1 set=10 pcs)
3 m	TG05.0806.07.855	
2 m	TG05.0805.07.689	TR19.0008.05.061 (1 set=10 pcs)
3 m	TG05.0806.07.689	

### LUMI recessed led profile

LUMI




ATT: End cups and shade are sold separate.

length	profile index	Index of end cup
2 m	TG05.0807.07.035	TR19.0006.05.049 (1 set=100 pcs)
3 m	TG05.0808.07.035	
2 m	TG05.0807.07.855	TR19.0009.05.013 (1 set=10 pcs)
3 m	TG05.0808.07.855	
2 m	TG05.0807.07.689	TR19.0009.05.061 (1 set=10 pcs)
3 m	TG05.0808.07.689	

### LUMI corner led profile

LUMI




ATT: End cups and shade are sold separate.  
1 set = 100 pcs (50 right and 50 left) 1 set = 10 pcs (5 right, 5 left)

length	profile index	Index of end cup
2 m	TG05.0809.07.035	TR19.0007.05.049 (1 set=100 pcs)
3 m	TG05.0810.07.035	
2 m	TG05.0809.07.855	TR19.0010.05.013 (1 set=10 pcs)
3 m	TG05.0810.07.855	
2 m	TG05.0809.07.689	TR19.0010.05.061 (1 set=100 pcs)
3 m	TG05.0810.07.689	

### LUMI rim led profile

LUMI




length	index
2 m	TG05.0811.07.035
3 m	TG05.0812.07.035
3 m	TG05.0812.07.855
3 m	TG05.0812.07.689

COATING CODES: 035 ALUMINUM 689 BLACK 855 WHITE

LUMI led profile shade

LUMI



length	index
2 m	TR19.0011.05.423
3 m	TR19.0012.05.423








**POWER SUPPLIES**

### LED power supply 7 W

**MASTER**



- 
- 
- 
- 
- 



index


TR20.0005.05.000

### LED power supply 12 W

**MASTER**



- 
- 
- 
- 
- 



index


TR20.0006.05.000

### LED power supply 16 W

**MASTER**



- 
- 
- 
- 
- 



index


TR20.0007.05.000

### LED power supply 24 W

**MASTER**



- 
- 
- 
- 
- 



index


TR20.0008.05.000

### LED power supply 33 W

**MASTER**



AC 220-240 V  
50-60 Hz      OUT 12 V DC      33 W      IP20      □



index


TR20.0009.05.000

### LED power supply 54 W

**MASTER**



AC 220-240 V  
50-60 Hz      OUT 12 V DC      54 W      IP20      □



index


TR20.0010.05.000

### LED power supply 65 W

**MASTER**



AC 220-240 V  
50-60 Hz      OUT 12 V DC      65 W      IP20      □



index


TR20.0011.05.000

### LED power supply 80 W

**MASTER**



AC 220-240 V  
50-60 Hz      OUT 12 V DC      80 W      IP20      □



index

TR20.0012.05.000


**LED thin power supply 15 W**

**MASTER SLIM**

**NEW**



- 
- 
- 
- 
- 



index

TR20.0051.05.000


**LED thin power supply 24 W**

**MASTER SLIM**

**NEW**



- 
- 
- 
- 
- 



index

TR20.0052.05.000


**LED thin power supply 36 W**

**MASTER SLIM**

**NEW**



- 
- 
- 
- 
- 



index

TR20.0053.05.000


### LED thin power supply 60 W

#### MASTER SLIM

NEW



AC 220-240 V 50-60 Hz   OUT 12 V DC   60 W   IP20   [ ]




index

TR20.0054.05.000

### Central switch adapter for MASTER SLIM power supply


NEW



index

TR20.0055.05.000

### Schematic of wiring for the adapter





**Power supply set Master 7W + 2m wire with plug EU/UK 2x0,75mm + wire 2 meter with female connector mini AMP**
**MASTER**

**AC  
220-240 V  
50-60 Hz**

**OUT  
12 V  
DC**

**7 W**

**IP20**



plug type

EU

UK

index

WR20.0042.00.000

WR20.0001.00.000



**Power supply set Master 12W + 2m wire with plug EU/UK 2x0,75mm + wire 2 meter with female connector mini AMP**
**MASTER**

**AC  
220-240 V  
50-60 Hz**

**OUT  
12 V  
DC**

**12 W**

**IP20**



plug type

EU

UK

index

WR20.0041.00.000

WR20.0002.00.000



**Power supply set Master 16W + 2m wire with plug EU/UK 2x0,75mm + wire 2 meter with female connector mini AMP**
**MASTER**

**AC  
220-240 V  
50-60 Hz**

**OUT  
12 V  
DC**

**16 W**

**IP20**



plug type

EU

UK

index

WR20.0040.00.000

WR20.0003.00.000



**Power supply set Master 24W + 2m wire with plug EU/UK 2x0,75mm + wire 2 meter with female connector mini AMP**
**MASTER**

**AC  
220-240 V  
50-60 Hz**

**OUT  
12 V  
DC**

**24 W**

**IP20**



plug type

EU

UK

index

WR20.0043.00.000

WR20.0004.00.000



**Power supply set Master 33W + 2m wire with plug EU/UK 2x0,75mm + wire 2 meter with female connector mini AMP**
**MASTER**

**AC  
220-240 V  
50-60 Hz**

**OUT  
12 V  
DC**

**33 W**

**IP20**



plug type

EU

UK

index

WR20.0044.00.000

WR20.0005.00.000

### LED power supply




AC  
220-240 V  
50-60 Hz

OUT  
12 V  
DC

**6 W**


IP20



index

TR20.0013.05.000

### Metal clip for glass shelf, cold white 8 mm




DC  
12 V

**0,24 W**

2 m

IP20




index

TR20.0029.66.000



### Universal LED fitting



index	colour lighting
TR20.0026.05.529	
TR20.0027.05.529	
TR20.0028.05.529	



COATING CODES: 529 ALUMINIUM



# ELECTRICAL WIRES

### Two cores cable 0,35 mm<sup>2</sup> TLYp



- polyvinyl chloride insulation of wire makes the cable flexible and allow to lay it easy, while maintaining all the parameters of the safety parameters
- conductors made of high-quality copper wires
- red strip on the insulation is indicated of wires polarization
- dedicated to voltages not exceeding 12 - 24V
- copper wire class 5
- standards ZN-7/SIM/19
- certificates CE, RoHS, REACH
- roll 100 m

index	cross-section	insulation thickness	dimension	weight, length
TR20.0048.05.061	2 x 0,35 mm <sup>2</sup>	0,4 mm	1,6 x 3,4 mm	11 kg/km

### Two cores cable 2 x 0,75 mm<sup>2</sup> H03VVH2-F 100mb in double insulation



- polyvinyl chloride insulation of wire makes the cable flexible and allow to lay it easy, while maintaining all the parameters of the safety parameters
- conductors made of high-quality copper wires
- external insulation is in black
- Insulation colours (blue, brown) are indicated the polarity of wires.
- dedicated to voltages not exceeding 12-230V
- copper wire class 5
- standard: EN 50525-2-11 / PVC insulated TI2/PVC tire TM2
- certificates CE, RoHS, REACH, VDE
- roll 100 m

index	cross-section	insulation thickness		dimension	weight, length
		1	2		
TR20.0049.05.061	2 x 0,75mm <sup>2</sup>	0,5 mm	0,6 mm	3,3 x 5,3 mm	31 kg/km

### Cables 2 x 0.75mm<sup>2</sup> 2m with EU/UK plug\*



- polyvinyl chloride insulation of wire makes the cable flexible and allow to lay it easy, while maintaining all the parameters of the safety parameters
- conductors made of high-quality copper wires
- the colours are indicated of wires polarization
- cable is ready for installation, tire and insulation are removed, terminals are covered with tin
- copper wire class 5
- working voltage: 300V
- certifications CE, RoHS, REACH



index	plug type	cross-section	insulation thickness		dimension	weight
			1	2		
TR20.0041.05.013	EU					
TR20.0041.05.061		2 x 0,75 mm <sup>2</sup>	0,5 mm	0,6 mm	3,3 x 5,3 mm	31 kg/km
TR20.0047.05.061*	UK*					

\* products available on order only  
COATING CODE: 013 WHITE 061 BLACK

A photograph of a modern interior. On the left, a light grey armchair with a curved backrest is partially visible. In the center, a round wooden side table holds several white vases containing greenery and red roses. Behind the table is a dark, textured wall with a rectangular recessed light fixture. To the right, a large potted plant with broad green leaves is partially visible.



**SWITCHES**

### Dimmable switch W01





index	colour
TR20.0015.05	013
TR20.0015.05	061

### Dimmable switch W02



index	colour
TR20.0016.05	013
TR20.0016.05	061

### Dimmable switch W03




index	colour
TR20.0017.05	001

COATING CODES: 001 CHROME 013 WHITE 061 BLACK

### Dimmable switch W04



- 
- 
- 
- 
- 
- 




index	colour
TR20.0018.05	001

### Dimmable switch W05



- 
- 
- 
- 
- 
- 
- 
- 




index	charakteristic
TR20.0019.05.000	double pole (for lighting)
TR20.0020.05.000	single pole (for sliding door)

### Dimmable corner switch W06




- 
- 
- 
- 
- 
- 




index	colour
TR20.0021.05	529

### Dimmable universal touch switch W07



Double or single pole




index	colour
TR20.0022.05	013
TR20.0022.05	061

### Adapter for universal switch W07





2 pcs. of screws in set



index	colour
TR20.0023.05	013
TR20.0023.05	061


### Dimmable wireless switch W08



index	colour
TR20.0024.05	013
TR20.0024.05	061

COATING CODES: 013 WHITE 061 BLACK

### Dimmable touch switch for led profile W09




With sticky tape



index

TR20.0032.05.000

### Dimmable touch switch for led profile W09





With sticky tape; wiring 2 m



index

TR20.0033.05.000

### Undertable switch W10




index

TR20.0025.05.000



Wire 2 meters with connectors mini amp




DC  
12V      36W      2m      IP20      III

index

TR20.0030.05.000

Distributor 6 sockets mini amp



DC  
12V      36W      2m      IP20      III

index


TR20.0031.05.000



# RECTANGULAR POP-UP POWER SOCKET

### ELEKTRIMA Kwadro rectangular recessed desk power


**ELEKTRIMA**



index	colour	socket type	material
TR19.0003.08	049	3 x schuko	metal/plastic
TR19.0003.08	061		
TR19.0003.08	013		
TR19.0013.08	049	3 x french	
TR19.0013.08	061		
TR19.0013.08	013		

### ELEKTRIMA Kwadro rectangular recessed desk power

**ELEKTRIMA**



index	colour	socket type	material
TR19.0004.08	049	2 x schuko, 2 x USB 2,1 A 5 V  2 x french, 2 x USB 2,1 A 5 V	metal/plastic
TR19.0004.08	061		
TR19.0004.08	013		
TR19.0014.08	049		
TR19.0014.08	061		
TR19.0014.08	013		



COATING CODE: 013 WHITE 049 SILVER 061 BLACK



PULL-OUT ROUND  
POWER SOCKET

ELEKTRIMA Tubus retractable pull-out round power




ELEKTRIMA



index	colour	socket type	material
TR19.0001.08	049	3 x schuko	
TR19.0001.08	061		
TR19.0015.08	049	3 x french	
TR19.0015.08	061		aluminium/plastic

ELEKTRIMA Tubus retractable pull-out round power

ELEKTRIMA



index	colour	socket type	material
TR19.0002.08	049	3 x schuko,	
TR19.0002.08	061	2 x USB 2,4 A 5 V	
TR19.0016.08	049	3 x french,	
TR19.0016.08	061	2 x USB 2,4 A 5 V	aluminium/plastic

COATING CODE: 049 SILVER 061 BLACK





# ADDITIONAL ACCESSORIES





## *Accessories matter*

REJS also offers other furniture accessories, such as furniture feet, hangers for upper cabinets, racks, various types of brackets, clamps, hooks and shelf supports, as well as many other accessories necessary in everyday work.



Worth noting are ventilation grilles that allow you to aesthetically hide the heat source while using it efficiently, as well as a range of aluminum strips necessary for finishing kitchen countertops.

To further facilitate the process of creating furniture, and especially the transportation and assembly itself, in our range we also have protective products such as tapes, cardboard or protective films.

### Round steel furniture leg



- steel top fixing plate
- adjustable plastic foot
- steel leg





$\varnothing \times C$	index	colour
60 x 710	TB04.0408.01	001, 004, 005, 054, 055
60 x 820	TB04.0410.01	001, 004, 005
60 x 1100	TB04.0411.01	001, 004, 005, 054

### Round steel furniture leg



- steel top fixing plate
- adjustable plastic foot
- steel leg





$\varnothing \times C$	index	colour
60 x 710	TB04.0426.01	001, 004, 005, 054, 055, 788

### Square aluminium furniture leg



- aluminium fixing plate
- adjustable plastic foot
- aluminium leg





$A \times C$	index	colour
45 x 710	TB08.0703.07	035
45 x 820	TB08.0706.07	035

### Square aluminium furniture leg






- aluminium fixing plate
- adjustable plastic foot
- aluminium leg



$A \times C$	index	colour
60 x 710	TB08.3303.07	003, 035, 554, 741
60 x 820	TB08.3306.07	003, 035, 554, 741



COATING CODE: 001 CHROME 003 WHITE 004 SATIN CHROME 005 SATIN NICKEL 035 NATURAL C-0 054 BRUSHED STAINLESS STEEL  
055 BLACK 554 BLACK STRUCTURE MATTE 741 STAINLESS STEEL EFFECT INOX 788 RAL 9006

### Adjustable square foot ALU




A x C	index	colour
40 x 60	TB07.6307.18	001, 003, 035, 061
40 x 100	TB07.6303.18	001, 003, 035, 061
40 x 150	TB07.6305.18	001, 003, 035, 061

### Round adjustable foot ALU





$\varnothing \times C$	index	colour
40 x 60	TB07.0507.18	035
40 x 100	TB07.0503.18	035
40 x 150	TB07.0505.18	035

### Foot ALU-SO01




$\varnothing \times C$	index	colour
32 x 100	TB07.0103.09	014

### Adjustable foot ALU-SKR04




A x C	index	colour
45 x 50	TB07.2501.18	035
45 x 75	TB07.2502.18	035
45 x 100	TB07.2503.18	035, 039
45 x 120	TB07.2504.18	035
45 x 150	TB07.2505.18	035, 039
45 x 200	TB07.2506.18	035

### Foot M01




height	index	colour
100	TB02.0001.01	001

### Adjustable foot 2 piece




height	index	colour
100	TB06.0201.05	061

### Adjustable foot 3 piece



height	index	colour
100	TB06.0203.05	061
150	TB06.0208.05	061


### 3 piece adjustable foot with bracket



height	index	colour
100	TB06.0245.05	061


COATING CODE: 001 CHROME 061 BLACK

### ITP adjustable foot




height	index	colour
45-70	TB06.0257.05	061
70-100	TB06.0258.05	061
90-120	TB06.0259.05	061
135-165	TB06.0260.05	061

### Clip for ITP foot




index	colour
TB06.0161.05	061

### Adjustable foot Ø50 ASA




index	colour
TB06.0210.05	061

### Furniture foot MULTI LEG




height	index	colour
50-75	TB02.0115.05	061
65-85	TB02.0116.05	061
85-125	TB02.0112.05	061
95-145	TB02.0113.05	061
125-195	TB02.0133.05	061

MULTI LEG furniture foot extension




height	index	colour
50	TB02.0131.05	061

Clip for MULTI LEG clip 1-part set



index	colour
TB06.0176.05	061

Clip for MULTI LEG clip 2-parts set




index	colour
TB06.0149.05	061

### Clips for adjustable feet



- for fitting the furniture kickboard




index	colour
TB06.0105.05	061

### Kickboard clip




- for fitting an aluminium or plastic kickboard




index	colour
TB06.0142.05	061

### Level adjuster PI05 M6




index	colour
TH02.1535.08	061

### Plug BP05 M6



index	colour
TH02.2751.01	250


### Single pin glide



index  
TB01.0108.05

colour  
061


### Double pin plastic glide



index  
TB01.0103.05

colour  
061

### Rigid castor wheel




index  
TB01.0218.08

colour  
061


### Furniture swivel castor SUPRA 35 mm

NEW



type  
without brake

index  
TB05.1542.53.000




with brake

index  
TB05.1642.53.000


### Furniture swivel castor SUPRA 50 mm

NEW



type  
without brake

index  
TB05.1742.53.000



with brake

index  
TB05.1842.53.000


COATING CODE: 061 BLACK

## Wall cabinet hangers and mounting strips

### Cabinet hanger STRONG 01



- load capacity 100kg per set
- to be fitted on a mounting strip
- tested to standard EN 15939
- covers sold separately



**NOTE:** assembly of additional storage eg. closing shelf without the use of hangers is prohibited

index  
TH01.2050.08.000

### Cabinet hanger cover for STRONG 01




type	index	colour
left	TH01.1539.05	013
right	TH01.1540.05	013
left + right	TH01.2051.01	801

### Cabinet hanger STRONG 02



- load capacity 100 kg per set
- to be fitted on a mounting strip
- tested to standard EN 15939
- white cover included in set



**NOTE:** assembly of additional storage eg. closing shelf without the use of hangers is prohibited

index  
TH01.2152.08  
colour  
062

# Additional accessories


## Wall cabinet hangers and mounting strips



### Universal regulated hanger I



- load capacity 50 kg per set
- to be fitted on a mounting strip
- tested to standard PN-EN 15939+A1:2014-03



**NOTE:** assembly of additional storage eg. closing shelf without the use of hangers is prohibited


index  
WH01.0303.08

colour  
013

### Universal regulated hanger II



- load capacity 50 kg per set
- to be fitted on a mounting strip
- tested to standard PN-EN 15939+A1:2014-03



**NOTE:** assembly of additional storage eg. closing shelf without the use of hangers is prohibited


index  
WH01.0403.08

colour  
013

### Inclined universal adjustable cabinet hanger



- load capacity 50 kg per set
- to be fitted on a mounting strip
- tested to standard PN-EN 15939+A1:2014-03



**NOTE:** assembly of additional storage eg. closing shelf without the use of hangers is prohibited


index  
WH01.0202.08

colour  
013

### Adjustable hanger L/R



- load capacity 55 kg per set
- to be fitted on a mounting strip
- tested to standard PN-EN 15939+A1:2014-03



**NOTE:** assembly of additional storage eg. closing shelf without the use of hangers is prohibited

type	index	colour
left	WH01.0204.08	013
right	WH01.0205.08	013

COATING CODE: 013 WHITE

## Wall cabinet hangers and mounting strips

### Adjustable hanger with excentric screw



- maximum load capacity 15 kg/pc
- hung with the aid of hooks




**NOTE:** assembly of additional storage eg. closing shelf without the use of hangers is prohibited

index	WH01.0206.08
-------	--------------

colour	037
--------	-----

### Universal hook plate




index	WH01.0103.01
-------	--------------

colour	062
--------	-----

### Mounting strip



- maximum capacity 150 kg/cabinet
- fitted with 2 screw in the place where the hanger is mounted
- can be adjusted to suit the appropriate dimension



L	2000
---	------

index	WH01.0740.01
-------	--------------


colour	062
--------	-----

COATING CODE: 037 BROWN 062 WHITE ZINC

**Round wardrobe rail support Ø25**



index	colour
TA05.0003.66	001



**Single elliptical connector for glass/board (120)**

- plastic insert included



index	colour
TL01.0204.14	001

**Triple connector**



type	index	colour
left (102)	TL01.0413.14	001
right (101)	TL01.0414.14	001

**3-way mini connector (201)**



index	colour
TL01.0518.14	001

**3-way connector (202)**



index	colour
TL01.0517.14	001

**4-way adjustable connector (203)**




index	colour
TL01.0619.14	001

COATING CODE: 001 CHROME

# Additional accessories


## Furniture braces and connectors

### Worktop connector bolt




L	index	colour
65 x 32+41	TH02.0501.01	062
100 x 41+52	TH02.0601.01	062
150 x 75+84	TH02.0701.01	062

### Connector bolt for boards




Ø	index	colour
5	TH02.0807.01	064
8	TH02.0808.01	064

### Clamp for fixing worktops




packaging	index	colour
100 pcs.	WH02.2944.00	062

### Angled connector for „N” boards single



### Angled connector for „N” boards double



index	colour
TH02.5007.05	013, 038, 061, 063, 070, 166, 360, A68


COATING CODE: 013 WHITE 038 BEECH 049 SILVER 061 BLACK 062 WHITE ZINC 063 ASH 064 NICKEL 067 ALDER 069 LIGHT WALNUT  
070 DARK WALNUT 071 BEECH 072 LIGHT OAK 075 MAHOGANY 157 RUSTIC OAK 166 LEGO 360 VANILLA A68 DARK GREY

# Additional accessories

## Furniture braces and connectors




### Furniture brace Z-02




packaging	index	colour
80 pcs	TH02.7301.08	013, 061, 063, 067, 088, 094, 097, 157

### Furniture brace PLUS Z-02




packaging	index	colour
80 pcs	TH02.7306.08	013, 061, 063, 067, 088, 094, 097, 157

### Furniture brace Z-03




packaging	index	colour
100 pcs	TH02.7303.08	013, 061, 063, 097

### Furniture brace MAX Z-02




packaging	index	colour
50 pcs	TH02.7302.08	013, 061, 063, 067, 088, 094, 097, 157

### Furniture brace - angled Z-02




packaging	index	colour
80 pcs	TH02.7310.01	012

### Furniture brace - angled Z-02 MAX




packaging	index	colour
50 pcs	TH02.7311.01	012

### Corner bracket with 2 holes



index	colour
WH02.2937.01	062

### Corner bracket with 3 holes




index	colour
WH02.2938.01	062

COATING CODE: 012 TRANSPARENT 013 WHITE 061 BLACK 062 WHITE ZINC 063 ASH 067 ALDER 088 WALNUT 094 WENGE 097 MAPLE/BEECH 157 RUSTIC OAK

Additional accessories  
Shelf supports and brackets




**Shelf support P1 Ø5**




Ø	index	colour
5	TD01.0205.08	081

**Shelf support Ø5 with cover**




Ø	index
5	TD01.0226.08.000

**Shelf support Ø5**



Ø	A x B	index	colour
5	5 x 7	TD01.0204.01	062


**Glass shelf support Ø5**



Ø	index	colour
5	TD01.0206.08	064


COATING CODE: 062 WHITE ZINC 064 NICKEL 081 TRANSPARENT

**Shelf bracket**



A x L	max. load	index	colour
78 x 115	8 kg	TD01.0101.08	013, 049, 050, 061, 076
115 x 182	9,5 kg	TD01.0113.08	013, 049, 050, 061, 076
143 x 235	11 kg	TD01.0114.08	013, 049, 050, 061, 076

**Invisible shelf arm**



A x B	max. load	index	colour
10 x 100		TD01.3983.05	037
10 x 145	15 kg	TD01.3999.05	037
11,5 x 120		TD01.3969.05	037

# Additional accessories

## Aluminium trims

### Trim ALPO 28

edge				corner				joining			
type	length	index	colour	length	index	colour	length	index	colour	length	index
left	600	TG04.0101.07	035	621	TG04.0413.07	035	600	TG04.0513.07	035		
right	600	TG04.0201.07	035								

### Trim K 28 I

edge				corner				joining			
type	length	index	colour	length	index	colour	length	index	colour	length	index
left	600	TG04.0140.07	035	630	TG04.0440.07	035	600	TG04.0540.07	035		
right	600	TG04.0240.07	035								

### Trim DUROPAL 38

edge "E"				corner				joining			
type	length	index	colour	length	index	colour	length	index	colour	length	index
left	600	TG04.0198.07	003, 035, 055	600	TG04.0414.07	003, 035, 055	600	TG04.0514.07	003, 035, 055		
right	600	TG04.0298.07	003, 035, 055								


### Trim EGGER 38

edge "E"				corner				joining			
type	length	index	colour	length	index	colour	length	index	colour	length	index
left	600	TG04.0199.07	003, 035, 039, 055	630	TG04.0448.07	003, 035, 039, 055	600	TG04.0548.07	003, 035, 039, 055		
right	600	TG04.0299.07	003, 035, 039, 055								

### Trim K 38 I

edge "E"				corner				joining			
type	length	index	colour	length	index	colour	length	index	colour	length	index
left	600	TG04.0139.07	003, 035, 039, 055	630	TG04.0450.07	003, 035, 039, 055	600	TG04.0550.07	003, 035, 039, 055		
right	600	TG04.0239.07	003, 035, 039, 055								


Ventilation grill 23,5 x 375



index  
TE12.0347.07

colour  
003, 035, 039, 041, 741


Ventilation grill 60 x 245



index  
TE12.0346.07

colour  
003, 035, 039, 041, 741


Ventilation grill 60 x 484



index  
TE12.0345.07

colour  
003, 035, 039, 041, 741


Ventilation grill 80 x 480



index  
TE12.0344.07


colour  
003, 035, 039, 041, 741

### Magnetic lock + armature




index	colour
TD02.0066.08	013, 037, 061

### Sliding cabinet door latch




index	colour
TD02.0003.01	064

### Square patented lock



index	colour
TD02.0013.01	064

### Square central key lock ZC01 600 / 800 mm



bar length (A)	index	colour
600	TD02.0188.01	001
800	TD02.0189.01	001

**MASTER key for square key lock Z01**

NEW




- can be used to open a number of Z01 locks
- for all square key lock with Master option

index

TT03.2807.00.000

**Square key lock Z01**

NEW



index

TD02.0187.14

colour

001




## Bench frames, plinth frames

### Bench frame



illustrative images, only the bench frame is available for sale

- the frame is made from galvanised pipes which are then powder coated
- protected against harmful weather conditions
- the product consists of frames only (without seat, backrest) and assembly screws
- the frame is adapted to be permanently fixed with screws passing through the foot of the bench




\* recommended measss

Ø	index	colour
60	WB06.0606.01	055, 132

COATING CODE: 055 BLACK 132 GALVANISED/BLACK LACQUER


### Bed hook



index  
WH02.0067.01


colour  
062

### Bed hook



type	index	colour
left	WH02.0016.01	062
right	WH02.0017.01	062


### Brace bracket connector



index  
WH02.0015.01

colour  
062


### Central bed hook



index  
WH02.0018.01

colour  
062


Clamping clip one-hole BN



index  
WH02.0009.01

colour  
062


Clamping clip one-hole 2



index  
WH02.0010.01

colour  
062


Clamping clip two-hole



index  
WH02.0011.01


colour  
062

### Cabinet fixing plate BA




index	colour
WH01.0614.01	062

### Refrigerator hanger




index	colour
TH02.1225.05	013

### Glass pane grip



index	colour
TH02.1118.05	013, 081


### End cap



$\varnothing$	index	colour
35	TH02.1321.05	013

COATING CODE: 013 WHITE 062 WHITE ZINC 081 TRANSPARENT

Confirmat screw



$\varnothing \times L$	index	colour
6,4 x 50	TK01.0269.01	062
7 x 50	TK01.0277.01	062


Wooden dowels



$\varnothing \times L$	packaging	index
8 x 30	~ 15 000 pcs	TK01.0381.17.134
8 x 35	~ 12 375 pcs	TK01.0382.17.134

# Information section

## Index structure:



## Coating codes:


### Galvanised coatings (steel)



### Galvanised coatings (aluminium)



### Lacquer finishes



# Information section

## Combined finished



## Plastic finishes



## Wood finishes



## Additional information:

Measurements are provided in mm.

General terms of sale regulating the purchasing conditions are available at points of sale and sales representatives.

The manufacturer reserves the right to make technical changes and to the catalog offer. The manufacturer is not responsible for typographical errors in the text or technical drawings.

The arranged photos are for demonstration purposes, they are intended to illustrate the use of the product.

The content of the catalog is copyrighted ©. Copying, reprinting text or graphics and photos without written consent from the manufacturer is prohibited.

**HEADQUATERS:**

REJS LLC, 87-500 Rybnik, Mlinska Str. 61 Poland  
Export Department: +48 54 234 09 73, [www.rejs.eu](http://www.rejs.eu)



RejS Rybnik



rej\_86



REJS Group



REJSakcesoria